




3 1761 06706166 3

LABORATORY NOTES
ON
INDUSTRIAL WATER ANALYSIS

ELLEN H. RICHARDS



Digitized by the Internet Archive
in 2007 with funding from
Microsoft Corporation



WORKS OF ELLEN H. RICHARDS

PUBLISHED BY

JOHN WILEY & SONS

43-45 East Nineteenth Street, New York

Laboratory Notes on Industrial Water Analysis: A Survey Course for Engineers.

8vo, 52 pages. Cloth, 50c net.

The Cost of Cleanness.

12mo, v + 109 pages. Cloth. \$1.00.

The Cost of Living as Modified by Sanitary Science.

Third Edition, Revised. 12mo. 164 pages. Cloth. \$1.00.

Air, Water, and Food; From a Sanitary Standpoint.

By Ellen H. Richards, with the assistance of Alpheus G. Woodman, Instructors in Sanitary Chemistry in the Massachusetts Institute of Technology. Second Edition, Revised. 8vo. 270 pages. Cloth. \$2.00.

The Cost of Food: A Study in Dietaries.

12mo. 161 pages. Cloth. \$1.00.

The Dietary Computer.

By Ellen H. Richards, Instructor in Sanitary Chemistry, Massachusetts Institute of Technology, assisted by Louise Harding Williams. \$1.50 net. Pamphlet separately, \$1.00 net.

The Cost of Shelter.

12mo. vi + 136 pages. Illustrated. Cloth. \$1.00.

"Cost of Living" Series.

1. Cost of Living. 2. Cost of Food. 3. Cost of Shelter. 4. Cost of Cleanness. 12mo. Cloth. 4 vols. in a box. \$4.00.

Published by WHITCOMB & BARROWS

Huntington Chambers

The Chemistry of Cooking and Cleaning.

By Ellen H. Richards and S. Maria Elliott. 158 pages. Cloth. \$1.00.

Food Materials and their Adulterations.

183 pages. Cloth. \$1.00.

Home Sanitation.

Revised Edition. Edited by Ellen H. Richards and Marion Talbot. 85 pages. Paper. 25c.

Plain Words about Food.

The Rumford Leaflets. Illustrated. 176 pages. Cloth. \$1.00.

First Lessons on Food Diet.

52 pages. Cloth. 30c net.

The Art of Right-Living.

50 pages. Cloth. 50c net.

PC

LABORATORY NOTES

ON

INDUSTRIAL WATER ANALYSIS

A SURVEY COURSE FOR ENGINEERS

BY

ELLEN H. RICHARDS

LATE INSTRUCTOR IN SANITARY CHEMISTRY, MASSACHUSETTS INSTITUTE
OF TECHNOLOGY

SECOND EDITION, REVISED, WITH ADDITIONS
FIRST THOUSAND


NEW YORK

JOHN WILEY & SONS

LONDON: CHAPMAN & HALL, LIMITED

1913

129421
3 | 10 | 13



COPYRIGHT, 1908, 1910,

BY

ELLEN H. RICHARDS.

Stanbope Press

F. H. GILSON COMPANY
BOSTON, U.S.A.

TABLE OF CONTENTS.

PART I.

	PAGE
INTRODUCTION	1-3
FIRST LABORATORY EXERCISE	4-8
SECOND LABORATORY EXERCISE	9-11
THIRD LABORATORY EXERCISE, BOILER WATERS AND WATERS FOR GENERAL USE	12-14
FOURTH LABORATORY EXERCISE, DYEING, TEXTILE INDUSTRIES, LAUNDRIES, ETC.	15-19
FIFTH LABORATORY EXERCISE, CHEMICAL MANUFACTURING, MEDICI- NAL PREPARATIONS, SODA WATER, ETC., PRELIMINARY SANI- TARY ANALYSIS	20-25
SIXTH LABORATORY EXERCISE, ACTION ON METALS	26-29
SEVENTH LABORATORY EXERCISE, IMPROVEMENT OF UNSATISFACTORY WATERS	30-32
NOTES ON MINERAL WATERS	33-34

PART II.

STANDARD SOLUTIONS	35-42
COMPUTATION OF HYPOTHETICAL COMBINATIONS	43-44
PERCENTAGE COMPOSITION OF SALINITY IN VARIOUS WATERS . . .	45
TABLES	46-52
CONVENIENT DATA	53
SOME USEFUL REFERENCES	54

LABORATORY NOTES ON INDUSTRIAL WATER ANALYSIS.

PART I.

INTRODUCTION.

WATER is needed for many uses, the quality desired varying with the needs of the industry. The quality of water found depends upon the geological formations over which it flows or through which it percolates, and upon the previous use which man has made of it. Because of the growing scarcity of the supply, the increasing use per capita, the congestion of population and the occupation of even the desert and mountain slope, the securing of either safe potable water or water suited to manufacturing purposes becomes more and more difficult, and there is demanded a closer study of the country's resources and of waters suited to the different uses.

Restrictions will undoubtedly be adopted in the near future preventing not only sheer waste and pollution, but assigning various supplies to the most suitable uses. In other words, certain sources of water supply must be saved for the most important needs, and certain other sources must be so treated as to make them usable. Water unsatisfactory for one purpose may be or may be made quite satisfactory for another.

The present generation of engineers may not be confronted with these problems, but the students now in training will cer-

tainly meet them, and should go to them untrammelled by the practice of the past.

Leaving aside potable water, there is a demand for water for steam, for dyeing and textile manufacturing, for brewing, for chemical processes, etc. While each industry has its own peculiar requirements to be determined by the expert chemist, yet the engineer, in deciding upon recommendations, is often required to estimate the value of water for general purposes. It is of great service to him if he is able to reject at once, to classify as good, or to put into the doubtful category the samples he is examining. If this can be done in the field or in the office, so much the better. The one essential point is that the engineer should recognize both his own limitations and those of the method he employs. A trained and experienced chemist may see more meaning in a given reaction than the ordinary observer. A given test may reveal only a part of the truth, or, in unusual circumstances, it may be misleading.

But with all these risks of imperfect work, there are many occasions when a little knowledge is a wholly valuable possession, so that it is worth while for the student to spend thirty hours on a series of experiments which will indicate methods of attack and may save weeks in the future.

Water taken from the deep ground is a sort of residual mother liquor derived from years of time and miles of travel. Surface waters are usually mixed with more or less ground water.

The evaporation of water for steam involves a concentration of whatever the feed water holds in suspension or solution, leaving in the boiler a thick mud or a coating of more or less stony scale. This is a detriment to the efficiency of the boiler as an evaporator and to its strength as well. It follows, therefore,

that a good water for steam production should be fairly free from suspended clay and earth, from silica, and from easily precipitated iron compounds, from calcium and magnesium bicarbonates, which are precipitated on boiling, and from carbonates and sulphates, which are left as a residue on evaporation.

The more friable substances may be removed to a great extent by frequent "blowing off." This involves some waste of power, and involves much inconvenience. The stony substance may be, to a certain extent, converted to a friable condition by chemical reaction, loosened by kerosene, or prevented from adhering by the use of organic substances. The deposition of scale is not the only danger to be guarded against. Certain waters attack the metals composing the boiler shell and tubes, often dissolving so much that essential parts are thereby weakened. Such waters are as uneconomical and dangerous for steam making as are hard waters. Magnesium chloride and nitrates are objectionable for this reason. For manufacturing purposes there are special requirements to be considered under each case.

In this short course only special methods are considered, leaving out the ordinary analytical processes to be found in text-books.

FIRST LABORATORY EXERCISE.

To classify the sample in hand, use the following *preliminary tests*. Note appearance — much or little color, turbidity, sediment, organisms, etc. — as a guide to the final conclusion.

Keep the sample well mixed without violent shaking, to insure uniformity of successive portions taken.

Examine the waters for division into general classes, as follows:

I. Scale-forming,

- (a) Friable deposits: { clay and mud, bicarbonates Ca and Mg; carbonates Ca, Mg, Fe.
- (b) Stony deposits: { chiefly calcium sulphate, or iron carbonate and silica, cementing other substances.

II. Moderate scale-forming, easily controlled,

- (a) Natural waters, not carrying great excess of mineral substances.
- (b) Effluents from alum or iron sulphate filters.

III. Non-scale forming, but corrosive,

- (a) Natural, soft, clear or colored waters, carrying strong acid reaction from CO_2 or "humic" acids. May be high in organic matter.
- (b) Waters carrying magnesium chloride.
- (c) Polluted waters carrying bacterial products, organic or other acids, ammonia, etc.; i.e., rivers acting as sewers.
- (d) Contaminated waters carrying chlorides, nitrates, etc.; i.e., wells and "organic matter free" effluents.

IV. In certain sections of the country another class of natural waters occur carrying sodium salts, alkaline in character. These cause foaming or priming, and illustrate the care to be taken in the use of sodium carbonate as a remedy. These waters will be indicated by a negative result in titration for permanent hardness. An excess of organic matter also often causes foaming.

Examine the three waters assigned and place them in the proper class, I, II, or III, by comparative qualitative or quantitative tests, for — total hardness, sulphates, carbonates, chlorides, color, carbon dioxide, nitrates, ammonia, and iron, by described methods. For instance, comparison with standards for color and for ammonia; by titration for carbon dioxide, and, if desirable, for organic matter; by evaporation to determine nitrates and iron.

Preliminary "Hardness" Test. 10 cc. of the water is measured into the test bottle *H*, and 40 cc. of distilled water added. From the soap solution burette 1 cc. is run into the bottle *H* (about 6 cm. wide by 12 cm. high to the shoulder), glass stoppered. The contents are well shaken, and if no foam or "lather" remains add successive portions of 1 cc. each, until a partial covering of the surface is noted; then 0.5, and, finally, 0.2 cc. at each addition, until the surface is just covered with a white foam at the end of five minutes, the bottle *H* lying on its side. If not more than 2 cc. of the soap solution have been used, the water contains at most about 97 parts per million of calcium and magnesium salts, and is "soft." Use Table No. II. For a closer determination of soft water make another test, using 50 cc. of the water without dilution, Class III. Use Table No. I.

If 5 cc. of the soap solution have been used, the water contains about 300 parts and is "hard," Class II. If 8 or

10 cc., 500 or 600 parts, and the water is *very hard*, Class I, and no further test for hardness is made. If the first foam disappears at the end of three minutes and more is required to secure a permanent (for five minutes) foam, magnesium is indicated. Much magnesium gives also a characteristic curdy scum. If no foam is permanent with 10 cc. of soap solution the water is too hard to be tested by this strength of soap solution. For double strength see Tables III and IV.

In order to gain some knowledge of the samples as an aid in future procedures, from each sample of water take two portions of about 10 cc. each; pour into two test tubes. To the first test tube add a few drops of silver nitrate, AgNO_3 . Note amount and character of the resulting precipitate, then add a few drops of dilute nitric acid, HNO_3 . Note the permanence or disappearance of all or a greater portion of the precipitate. Silver *carbonate* will be dissolved; silver *chloride* will not; thus both carbonates and chlorides are indicated by the same test. If only a slight milkiness remains, the sample must be concentrated (100 cc. or 250 cc. to 25 cc.) before testing for exact amount of chlorine. The water is probably Class III, but is not rigidly classified by this test.

To the second test tube add a few drops of barium chloride, BaCl_2 . Note amount of precipitate, then add a few drops of dilute hydrochloric acid, HCl . If the precipitate perceptibly disappears, carbonates as well as sulphates are present. If a heavy precipitate remains, the turbidimeter may be used with the unconcentrated water, Class I. Otherwise, 200 cc. to 500 cc. are to be put on the water bath to concentrate. If there is no perceptible precipitate on standing, no further test is needed. The water is probably Class II, but is not rigidly classified by this test.

Excess of Carbon Dioxide. Class III or II, rarely I. Titrate 100 cc. of the original water to be tested in a graduated 100 cc. Nessler tube with sodium carbonate to absorb the "free" or excess CO_2 yielding sodium bicarbonate. If $\frac{n}{50} \text{Na}_2\text{CO}_3$ is used, multiply the cc. required to produce a permanent faintly pink color by 10 to give parts per million of calcium carbonate equivalent to the excess CO_2 . If $\frac{n}{22} \text{Na}_2\text{CO}_3$ is used, each cc. is equivalent to 0.001 gram of CO_2 .

Phenolphthalein is used as indicator, and may be added to the sodium carbonate solution when made up.

Determination of Nitrates. With a burette pipette take from each sample (clarified by milk of alumina if turbid or colored) two portions, one of 2 cc. and one of 5 cc., run into 3-inch porcelain dishes; place on the top of the water bath to evaporate for the determination of nitrates. When just dry, cool and add six drops of phenol-di-sulphonic acid. With a short bent glass rod, cause the acid to cover all the residue; add water from the automatic pipette or from a graduate to dilute the acid. Make alkaline and note color, if any. The amount of nitrates present may be estimated by matching this color with the color produced by a known amount of solution, 1 cc. = 0.000001 gram N. Select two tubes of equal diameter, thickness and shade of glass, of 50 or 100 cc. capacity. Rinse the contents of the dish into one of these and make up to the graduation with distilled water. Fill the other tube half full of distilled water made alkaline with 3 cc. KOH. Holding the tubes close together, run in standard solution from the burette with frequent rotation until the colors match. If more than 25 cc. of the standard is required, discard these solutions and evaporate 1 cc. or even $\frac{1}{2}$ cc. for a new test. On the other hand, if

the color in the porcelain dish is very slight it may be matched directly, using a similar dish. The number of cc. of standard used divided by the number of cc. of sample evaporated gives the parts per million.

In the field it may be more convenient to use the Brucine method as follows: to 1 cc. of the water in a 3-inch porcelain dish add 2 cc. concentrated H_2SO_4 ; cool; fold a piece of solid Brucine, about the size of a B.B. shot, in a 7 cm. filter. Place the paper on the side of the dish, washing it with the solution by a rotary motion. The appearance of a bright pink color of greater or less intensity proves the presence of nitrates in greater or less amount. The yellow color which results in a few minutes may be used to compare with standards. This method will detect five parts or more of nitrates per million.

These preliminary tests will show whether the water is *incrustant* or *corrosive*, and will give an approximate idea of the quantities of each important constituent, so that in the quantitative analysis to follow, certain tests may be omitted. For instance, if silver nitrate (solution 25 grams to the liter) causes no perceptible cloudiness, it may be assumed that chlorine exists in less amount than two parts per million. If barium chloride causes no perceptible cloudiness, sulphates are so low as to be neglected for general uses.

If the water is "soft" (less than 100 parts per million), no tests for *incrustants* need be subsequently applied, but attention may be concentrated on its *corrosive* qualities.

In Class I if sulphates are predominant, additional tests will be required. Treatment with alcohol and the use of the turbidimeter as described on page 10 will probably give good results.

If the chlorides, etc., predominate, other more satisfactory tests are to be applied.

SECOND LABORATORY EXERCISE.

DETERMINATION OF AMOUNT OF SCALE-FORMING MATERIAL IN CLASS I OR CLASS II, AND OF TOTAL SOLIDS.

DETERMINATION OF IRON IN SOME CASES.

DETERMINATION OF SULPHATES BY THE TURBIDIMETER OR OTHERWISE.

Total Solids. Evaporate 100 to 200 cc. of the sample according to observed hardness to dryness on a water bath in a tared platinum dish. Dry in the oven at 100° C. or 110° C. for two hours. Waters high in chlorides absorb moisture very rapidly and dry with difficulty. Cool the dish in a sulphuric acid desiccator and weigh quickly. Use the residue for incrustants or for iron determination.

Incrustants by Non-Solution. Treat the residue three times with 60 per cent alcohol, allowing it to stand 10 to 20 minutes each time. Decant carefully after each treatment (it may be necessary to filter if a flocculent precipitate floats, the small ashless filter being held in a twisted wire and ignited over the dish). Dry the dish, cool and weigh as before. This residue gives an approximate per cent, i.e., an *estimate* of the non-soluble material, clay, iron, silica, or sulphate, the water will leave on evaporation.

Sulphates by Turbidimeter. The opacity is due to sulphates precipitated as barium sulphate, BaSO_4 , finely divided, and remaining in suspension, unless the sulphates are present in large amount.

Operation. To 100 cc. of water add HCl sufficient to acidify (about 1 cc.) and 1-2 grams BaCl_2 . Shake until dissolved. Pour slowly into the graduated tube of the turbidimeter (*keep-*

ing the outside perfectly dry) until the flame beneath just disappears when looking down through the liquid. *Caution:* The tube must not be placed over the flame when empty. Calculate, after first noting height of liquid in cm., amount of SO_3 , from formula $X = \frac{0.0573}{y + 0.1}$ where X = amount of SO_3 present, y = height of liquid in cm., or from Table No. V. Waters containing 80–300 parts per million read directly; if less, concentrate, if more, dilute before precipitation. The most accurate readings are those obtained in the upper half of the tube.

Determine grams of SO_4 from SO_3 by the ratio of molecular weights. As molecular weight of $\text{SO}_4 = 96$, and of $\text{SO}_3 = 80$, multiply grams of SO_3 obtained by $\frac{96}{80}$, or $\frac{6}{5}$, to obtain grams of SO_4 . The successful use of the turbidimeter requires a little practice and care in securing a steady pointed flame, and careful and frequent mixing of the solution to prevent the heavy precipitate from settling out. Sulphates may also be determined by the usual gravimetric method, or by titration with potassium chromate (*Wehrenfennig*, "Analysis and Softening of Boiler Feed Water," p. 28), as follows: Remove the bicarbonates from 200 cc. of the water to be tested by boiling 15 minutes, taking care to keep the volume by replacing the loss with distilled water, to prevent the precipitation of calcium sulphate by concentration. Decant, or filter 100 cc. into a graduated 150 cc. flask; add 10 to 20 cc. $\frac{n}{10}$ barium chloride, according to amount of sulphate present. Heat 5 minutes and add from a burette $\frac{n}{10}$ potassium chromate until the supernatant liquid shows a faint but distinct yellow. Cool, fill to the mark with distilled water, filter 100 cc. into a Nessler tube. Make a

blank with distilled water in a companion tube, running in from the burette sufficient potassium chromate to match the color. The difference between the number of cc. used with the sample and with the blank, multiplied by $\frac{3}{2}$, subtracted from the number of cc. of barium chloride used, multiplied by 40, gives parts per million.

THIRD LABORATORY EXERCISE.

BOILER WATERS AND WATERS FOR GENERAL USE.

Alkalinity (including "temporary hardness") comprises the carbonates and hydrates which will react with added sulphuric acid. It is frequently necessary to determine this before deciding upon treatment.

Magnesium as hydrate, set free by calcium hydrate, may be determined in the same solution.

Permanent Hardness. Calcium and magnesium sulphates which will react with added sodium or potassium carbonates or hydrates, but which is not removed without such reaction.

Alkalinity by Titration. Measure 100 cc. of the sample into a 200 cc. graduated flask and titrate with $\frac{n}{50}$ H_2SO_4 to a distinct pink, using methyl orange as an indicator. The number of cc. of acid used multiplied by 10 gives parts per million calcium carbonate corresponding to the alkalinity. This value multiplied by 1.14 gives the weight of aluminum sulphate $\text{Al}_2(\text{SO}_4)_3$ which the water will decompose and by 1.58 gives the weight of alum, $\text{KAl}(\text{SO}_4)_2 \cdot 12 \text{H}_2\text{O}$. When laemoid is used as an indicator, measure 100 cc. into a 6-inch porcelain evaporating dish; add 0.5 cc. of laemoid solution (2 grams in one liter of 50 per cent alcohol). Heat until nearly boiling, run in the $\frac{n}{50}$ sulphuric acid, as before, until a reddish-purple takes the place of the blue color. Heat again, and if the blue returns drop the acid cautiously into the middle of the dish, noting any change in color as the drop spreads. Read the burette for the total number of cc. used.

When heat is not desirable or available, and methyl orange is objected to, 100 cc. may be measured into a 250-cc. white glass-stoppered bottle, 2.5 cc. erythrosine solution (0.1 gm. of the sodium salt in one liter of distilled water), added together with 5 cc. of chloroform (neutral to erythrosine), and the $n/50$ acid run in a few drops at a time. The bottle must be shaken vigorously. The rose color should slowly disappear until a white paper held back of the bottle fails to reveal a trace of pink in the liquid above the chloroform.

For *magnesium*, use the already titrated sample by boiling for 15 minutes in the flask, then adding from a burette (closed circuit) 25 cc. or for waters high in magnesium 50 cc. saturated "lime water," calcium hydrate (barium hydrate is rather better), and allow to stand on the water bath or hot plate 15 minutes longer. At the end of the 15 minutes, fill to the 200 cc. mark with neutral boiled distilled water, mix and filter quickly into a graduated cylinder. Reject the first 30 or 40 cc. (used to wash the filter paper and to heat the cylinder). Titrate the next 100 cc. with $n/50$ H_2SO_4 , using methyl orange as indicator. Since with the most rapid and careful manipulation a certain carbonation of the "lime water" may occur, a blank is put through all the operations including filtration with the same number of cc. of the calcium hydroxide (if several samples are done at the same time, one blank will serve). The difference between the acid used for the blank and for the sample is the number of cc. which would have been used up by the lime water which has entered into combination with the acid radical and driven out the magnesium as hydrate, a flocculent precipitate.

NOTE. — The varying solubility of magnesium hydrate in presence of certain mineral salts introduces an undetermined error. The error caused by expansion of the liquid is in most cases less than the error of manipulation of the method.

Because only 100 of the original 200 cc. is used, multiply by 20 the cc. of acid used to obtain the parts per million of calcium carbonate equivalent to the magnesium in the sample. The ratio $\text{CaCO}_3:\text{Mg} :: 100:24.18$ will give parts per million Mg.

The whole operation should not occupy more than forty-five minutes, including the two fifteen-minute periods of heating.

To Determine Magnesium by Soap Titration. To 100 cc. of water found to contain magnesium add 0.1 gram powdered ammonium oxalate and .1 gram ammonium chloride. Shake until dissolved and filter. Test 50 cc. with the soap solution. The calcium should have been removed as oxalate.

For Permanent Hardness (incrustants par excellence). Used only when CaSO_4 is over 200 parts per million. Boil in a porcelain dish 250 cc. of the water. Add 25 cc. of $n/10$ "soda reagent" (made of equal parts of sodium hydroxide and sodium carbonate. This mixture is especially for magnesium waters), and boil for 10 minutes. For waters which show a hardness by the soap test of over 400 parts per million use $n/2$ soda reagent. Filter, and while hot make up with boiling distilled water to 250 cc. (neutral alcohol in place of the water diminishes the solubility of CaSO_4); mix and titrate 100 cc. with $n/50 \text{ H}_2\text{SO}_4$, using methyl orange as indicator.

Make a blank, using boiling distilled water instead of the sample. The difference gives the cc. "soda reagent" used up by the permanent hardness. This number of cc. multiplied by ten gives the parts per million of calcium carbonate corresponding to permanent hardness, $\text{CaCO}_3:\text{CaSO}_4::100:138$. If the water shows excess of "soda reagent" over the blank, it contains sodium or potassium carbonate, and the number of cc. multiplied by 10 gives parts per million of calcium carbonate equivalent to the sodium carbonate present.

FOURTH LABORATORY EXERCISE.

WATER FOR DYEING, TEXTILE MANUFACTURING, LAUNDRY, ETC.

Color is usually due to organic matter of a peaty nature or to iron in solution. Either substance is objectionable for many processes in textile industry, in pharmaceutical preparation, in laundry work, etc.

Color derived from peaty or humus sources is related very intimately to oxygen consumed and to albuminoid ammonia.

The yellowish-brown tint of the surface waters of the Atlantic watershed corresponds, except in the lowest grades, very closely to that of nesslerized ammonia, so that the standards for reading ammonia can be used also for the determination of the color. The comparison is made in the same kind of 50-cc. tubes that are used for the ammonia determinations, but the tubes used for this purpose are kept separate from those used for the ammonia, since the least amount of alkali remaining in a tube (from imperfect washing, for instance) alters the color of the water. The scale used corresponds quite closely with the amount of the standard ammonium chloride solution in the standards. Thus a color of 1.0 is nearly the same as that produced by the nesslerization of 1 cc. of the standard ammonia; 0.1 is about the color produced with 0.1 cc. of the ammonia solution. In the higher grades of color, above 1.0 or 2.0, the tint varies considerably from that of the nesslerized ammonia, and the degree of color is then better determined in wider tubes and in less depth.

The degree of correspondence of the ammonia standards with the natural waters is dependent largely upon the sensitiveness

of the Nessler's reagent, a solution so sensitive as to precipitate in two hours, matching the colors more closely than one which will remain for twenty-four hours. This is perhaps due to the reddish tinge given to the solution by the incipient precipitation of the mercuric iodide.

Turbidity, after twelve hours standing, and sediment must be distinguished. Sediment is easily disposed of in a sedimentation tank, a simple and economical adjunct to a manufacturing plant.

Turbidity, whether due to clay, to sewage pollution, or to swarms of micro-organisms, usually requires treatment for removal. The most common agents of clarification are aluminum or iron sulphates.

Turbidity may be determined by comparison with silica standard made from finely ground, washed and ignited diatomous earth. The results are expressed in parts per million of silica, to compare with the standards.

Suspended matters are sometimes determined by the difference in weight of total solids filtered through paper and of the unfiltered sample. Sometimes they are collected on the asbestos filter prepared in a Gooch crucible. Sometimes a centrifuge is used for approximate quantity. The student is referred to "Standard Methods " and works on sewage analysis for further details.

Determination of Iron. If not used for incrustants, the residue from total solids determination is treated with 5 cc. HCl (I-I), warming if solution is not immediate. Wash out into a 100 cc. Nessler tube with distilled water to the 50 cc. mark. Oxidize the possible ferrous compounds to ferric by a few drops of potassium permanganate. The pink color should persist 5 minutes. Make up a blank with 50 cc. distilled water

and 1 cc. HCl (I-I). To the sample prepared as above and to the blank add 15 cc. potassium sulphocyanate, KCyS. Place in a good light. To the blank add from a finely graduated 1-cc. pipette, standard iron solution one-tenth cc. at a time, rotating the tube to mix each time, until the red color matches the color of the sample. The standard iron contains 0.00001 gram Fe in 1 cc.

Manganese is not infrequently present unsuspected. A brown color, not iron, is often noticed in dissolving residue on evaporation in HCl. This color is very often due to manganese, which may be tested for in the residue on evaporation by means of the borax bead.

Oxygen Consumed (Absorbed).

All waters when strongly acidulated with sulphuric acid and digested with a little potassium permanganate absorb from this salt more or less oxygen, the amount of which can be determined if the amount of available oxygen in the permanganate added is known and the amount left after the action of the water is determined. The difference gives the oxygen absorbed by the substances dissolved in the water. Some very pure waters absorb very little indeed, less than 0.1 mg. per liter, while others containing organic matter in solution absorb many times this amount. Although, strictly speaking, an index neither to the quantity nor quality of the organic matter, yet, as the amount absorbed varies in different waters, being usually very small in pure waters and comparatively large in impure waters, the determination is not without value. Certain inorganic substances occasionally found in waters also reduce permanganates, such as nitrites, ferrous salts, and sulphides. These act on the permanganate with rapidity, while the organic matter

acts very slowly. When any of these substances are present, two determinations are generally made, one to ascertain the amount of oxygen absorbed by the inorganic matter, and the other to estimate the total absorbed oxygen, and the difference is taken as being the amount consumed by the organic matter. The total oxygen consumed varies greatly in the same water, the chief factors being time and temperature; but the degree of acidity and the intensity of the light are not unimportant. For results to be comparable, therefore, they must have been obtained by identical processes.

Oxygen Consumed: Quick Method. Measure into a 150-cc. flask 25, 50 or 100 cc. of the water to be tested. Add 10 cc. sulphuric acid (1:3). Add from a burette 8 to 15 cc. of the standardized permanganate. Bring to a boil, and boil two minutes. Cool one minute; add from a burette 10 cc. (or more if this amount does not decolorize the solution) of ammonium oxalate. Titrate with the permanganate to a faint pink. The difference between the total amount used and that given by a blank determination gives the oxygen consumed.

Oxygen Consumed: Dr. Thresh's Method. Apparatus and reagents required: Standard solution of potassium permanganate, 1 cc. = .1 mg. available oxygen. Solution of sodium thiosulphate, 1 gram to the liter. Solutions of potassium iodide and of starch. Solution of sulphuric acid, 25 per cent. Stoppered bottles or flasks holding about 400 cc. Burettes, pipettes, etc. Two hundred and fifty cc. of water to be examined heated to 98° F. are measured into one of the bottles or flasks, which should have been previously cleaned with acid, etc. To this are added 10 cc. of the solution of potassium permanganate and 10 cc. of the sulphuric acid, and the stopper being

inserted the bottle is placed in an incubator kept at about 98° F. Let it remain there for three hours, examining it from time to time to see that a decided pink color remains. If the color tends to disappear, add a second 10 cc. of permanganate solution, as this should always be present in marked excess. While this is incubating, place 250 cc. of the recently distilled water in a second flask, add 10 cc. of the acid, 10 cc. of the permanganate, and 1 cc. of 5 per cent potassium iodide solution, using starch as an indicator. The amount of the solution used corresponds to 1 mg. of available oxygen, or to 10 cc. of the permanganate solution. The thiosulphate solution not keeping well, this standardization should be repeated with every fresh batch of waters or every few days. On no account should the thiosulphate solution be made with a water containing nitrates, for, if so, nitrites will be formed and vitiate the experiment.

The water, after the lapse of three hours, is removed from the incubator, and quickly reduced to the room temperature by immersing the bottle in cold water. The iodide is then added, and the excess of permanganate estimated. In this determination it is most important to cool the water, as the amount of thiosulphate required to destroy the blue color of the iodide of starch is markedly affected by the temperature. This is another of the causes, not generally recognized, of the differences in the amount of oxygen absorbed found by different analysts when examining the same water. If it is desired to estimate the oxygen absorbed by the inorganic matter, the water may be warmed to 98° F., and the unreduced permanganate estimated. In examining potable waters this determination is rarely required.

FIFTH LABORATORY EXERCISE.

WATERS USED IN VARIOUS CHEMICAL MANUFACTORIES, BREWING, SODA WATER, FOR MEDICINAL PREPARATIONS, ETC.

A preliminary sanitary analysis is often necessary, sometimes essential, in addition to the mineral analysis for these uses.

Formerly little attention was paid to organic impurities in water supplies for bottling purposes. Now it is recognized that many medicinal preparations made from herbs and roots demand a water with the highest solvent power — a “soft” water capable of taking up the organic matters readily and yet one that will remain sterile when bottled. Oftentimes these two factors prove difficult of attainment in one and the same water.

Some extracts are better made with a calcium carbonate water which gives a less highly colored extract. For preparing some dilute chemical preparations, only distilled water is suitable, but water distilled from a contaminated water may contain ammonia and other volatile compounds. These are not harmful in themselves, but hardly improve the waters. No general rule as to quality can be given for so varied requirements.

Therefore a preliminary “sanitary” outline may be carried through as an aid to discrimination between several samples and as a test which may lead to the rejection of an unsuitable sample at once.

The simple qualitative tests given on page 6 are supplemented by like tests for ammonia with Nessler reagent. If ammonia is indicated, it will probably be best to make a distillation, and since this is the longest process, it is well to begin this at once.

For the Determination of Free and Albuminoid Ammonia. Free the flask and condensing apparatus by distilling water until

there is no test with Nessler reagent. Empty the flask, and without rinsing measure into it 100 cc. of badly polluted waters, or 500 cc. of ordinary quality. If a smaller quantity is used, make up to 500 cc. with ammonia-free water. If the water has an acid reaction, neutralize by sodium carbonate before distilling. Collect 3 portions of 50 cc. each; allow the flask to cool ten minutes, and add 40 cc. alkaline permanganate through a funnel to prevent the least drop from touching the neck of the flask whence it would contaminate the cork or rubber stopper. Watch until boiling has fairly set in to prevent foaming or bumping, lest the stopper be touched by spatters. Collect 3 or 4 portions of 50 cc. each as before. When all are ready prepare standards or use permanent ones. Nesslerize with 1 cc. of the reagent and compare with standards. The first three tubes give the ammonia readily disengaged, "free ammonia," and the last set that which has to be broken out of combination, so to speak, from as yet undecomposed organic matter, "albuminoid ammonia."

The sum of the number of cc. of standard used to match the different tubes, multiplied by 0.02, gives parts per million free or albuminoid ammonia as the case may be, providing 500 cc. of water was used.

Without distillation the student may sometimes mistake the yellow color given by the potassium hydrate of the Nessler with iron for the mercur-ammonium compound indicating ammonia.

Nitrites with ammonia indicate active pollution and therefore a probable corrosive action.*

Procedure. To 100 cc. of sample in a Nessler tube add 10 cc. each of sulphanilic acid and naphthylamine acetate. Allow to stand ten minutes and compare color with standard papers.

* For *nitrates* see page 7.

Determination of Chlorine. The chlorine is determined in natural waters by the method in general use, namely, titration with a solution of silver nitrate, using potassium chromate as an indicator. Since the exact change of color which constitutes the end-point will vary with the sensitiveness of the eyes of different observers to red, each person should standardize the silver nitrate solution for himself. To do this, measure into a six-inch porcelain dish 25 cc. of distilled water; add 5 cc. of sodium chloride solution (1 cc. = 0.001 gram Cl) from the burette and three drops of potassium chromate solution. Titrate with the silver nitrate solution until the yellow color of the liquid assumes the faintest tinge of reddish brown.

Waters which are high in chlorine, i.e., which contain 20 or more parts per million, are titrated directly using 25 cc. either with or without the addition of 5 cc. of the salt solution. Waters which are low in chlorine are concentrated before titration, 250 cc. being evaporated to 25 cc. on the water bath. Brown surface-waters should be decolorized as follows: Pour into a 750-cc. flat-bottomed flask about 500 cc. of the water. Add 3 cc. of the milk of alumina; shake and heat the water quickly to boiling on an iron plate. When the liquid comes to a full boil, at once remove the flask from the plate to avoid loss by evaporation. Place it in an inclined position to allow the alumina to settle. Decant off 250 cc. of the colorless water into a six-inch dish for concentration to 25 cc., using a flask calibrated for both the hot and the cold solution. Before making the titration, rub down the sides of the dish above the liquid with a small quantity of distilled water free from chlorine, using a clean feather. Rinsing alone will not always dissolve the chlorides which adhere to the sides of the dish.

For titration by this method the solution must be as nearly neutral as possible. If the water is alkaline to any extent, it should be neutralized with dilute sulphuric acid, using phenolphthalein as an indicator. The solution will then contain alkali only as bicarbonate, which does not interfere with the titration. Acid water must be made neutral by the addition of sodium carbonate.

Oxygen Dissolved.

Collect a sample of the water in a calibrated bottle of about 250 or 300 cc., taking care that no air is inclosed. This can be most readily done by allowing water to flow into the bottom of the bottle by means of a piece of rubber tubing attached to glass running through the neck. Then allow the water to overflow for some minutes, at the same time noting the temperature of the water.

Procedure for Oxygen Dissolved. Remove the stopper from the bottle and add approximately 2 cc. of the manganous sulphate solution and 2 cc. of the sodium hydrate-potassium iodide solution, delivering both of these solutions beneath the surface of the liquid by means of a pipette. Replace the stopper and mix the contents of the bottle by shaking. Allow the precipitate to settle. Remove the stopper, add about 2 c.c. of sulphuric acid and mix thoroughly. Up to this point the procedure may be carried on in the field, but after the sulphuric acid has been added and the stopper replaced there is no further change, and the rest of the operation may be conducted at leisure. For accurate work there are a number of corrections necessary to take into account, but in actual practice it is seldom necessary to take note of them, as they are

ordinarily much less than the errors of sampling. Rinse the contents of the bottle into a flask, titrate with $\frac{N}{40}$ solution of sodium thiosulphate, using a few cc. of the starch solution towards the end of the titration. Do not add the starch until the color has become a faint yellow; titrate until the blue color disappears.

Calculation of Results (taken from Standard Methods). The standard method of expressing results shall be by parts per million of oxygen by weight.

"It is sometimes convenient to know the number of cc. of the gas per liter of 0° C. temperature and 760 mm. pressure, and also to know the percentage which the amount of gas present is, of the maximum amount capable of being dissolved by distilled water at the same temperature and pressure. All three methods of calculation are therefore here given:

$$\text{Oxygen in parts per million} = \frac{0.0002 N \times 1,000,000}{V} = \frac{200N}{V}$$

$$\text{Oxygen in cc. per liter} = \frac{0.1395 N \times 1000}{V} = \frac{139.5 N}{V}$$

$$\text{Oxygen in per cent of saturation} = \frac{200 N \times 100}{V \times O} = \frac{20,000 N}{VO}$$

Where N = number of cc. of $\frac{N}{40}$ thiosulphate solution,

V = capacity of the bottle in cc. less the volume of the manganous sulphate and potassium iodide solution added (i.e., less 4 cc.).

O = the amount of oxygen in parts per million in water saturated at the same temperature and pressure." (See Table A.)

TABLE A.

QUANTITIES OF DISSOLVED OXYGEN IN PARTS PER MILLION BY WEIGHT
IN WATER SATURATED WITH AIR AT THE TEMPERATURE GIVEN.

Temp. C.	Oxygen.	Temp. C.	Oxygen.	Temp. C.	Oxygen.	Temp. C.	Oxygen.
0	14.70	8	11.86	16	9.94	24	8.51
1	14.28	9	11.58	17	9.75	25	8.35
2	13.88	10	11.31	18	9.56	26	8.19
3	13.50	19	9.37
4	13.14	11	11.05	20	9.19	27	8.03
5	12.80	12	10.80	21	9.01	28	7.88
.....	13	10.57	29	7.74
6	12.47	14	10.35	22	8.84	30	7.60
7	12.16	15	10.14	23	8.67

Bacteriological Examination.

In examining waters for some uses the bacterial count is desirable, although for those enumerated above small numbers will be eliminated by the process of preparation. Distinctly "bad" waters will be more quickly tested by chemical means. Nitrites are an indication of change, and stability is desirable in waters for the above needs.

SIXTH LABORATORY EXERCISE.

EXAMINATION OF WATERS WITH ESPECIAL REFERENCE TO THEIR ACTION ON METALLIC OR OTHER CARRIERS AND CONTAINERS, SUCH AS PIPES, TANKS, COILS, EVAPORATING PANS, BOTTLE CLOSERS, ETC.

The solvent power of water is so great that no known substance is really insoluble. This solvent power is increased for some metals by salts already in solution, by certain qualities in metals, lack of homogeneity, etc., electrical action, etc. On the other hand some substances are more soluble in distilled water, or in water carrying gases.

Some metallic salts are poisonous, as lead acetate; some are cumulative poisons, as lead salts. Some are quickly eliminated, as most arsenic and antimony salts.

Most metallic compounds derived from conduits and containers are objectionable in the delicate operations of dyeing, of color printing, of silk washing, of making white paper, etc.

In the preparation of medicinal or pharmaceutical preparations the presence of even harmless metallic compounds would be disastrous. Water containing iron would give an inky appearance to Dr. Xy's medicine which carries tannin, while the presence of zinc in the water with which Herr Z's tonic was made would give a cloudy appearance not attractive.

Not only the result on the fluid is to be considered; the pipe or container suffers as well. The pitting of boilers is only one case. Block-tin pipes standing in water carrying high nitrates become honeycombed. Galvanized-iron pipes soon leak. Alum solutions rot the pipes.

Not only expense of renewal but also the contamination is to be considered.

Action on Metals. For class illustration it will be sufficient to use freshly polished specimens of the common metals, lead, copper, brass, iron and steel of different grades. These placed singly in sufficient water to cover them an inch deep in tubes or in filled stoppered bottles (the size and number being somewhat regulated by the amount of water at hand), may be observed hour by hour and at the end of 12 and 24 hours. The water after filtration may be tested by appropriate methods.

The following tests modified from those given in Thresh's book will serve most conveniently.

Lead. Decant into a test tube 5 to 50 cc. of the water in which the metal has been standing; add .1 to 1 cc. of acetic acid I-I; mix, and with a capillary tube or a glass rod add "a droplet" of calcium sulphide (see Reagents, p. 42). Note carefully against a white background, holding tube with operator's back to the light. The white sulphur separates out on contact with the acid solution and turns dark, or if much lead be present, black. If the first addition shows nothing, make a second or third under the same careful observation.

To make this and the following tests quantitative, measure the original solution accurately into wide Nessler tubes and determine by means of standard solutions.

This test will detect 1 part lead in 10,000,000 of water. By passing hydrogen sulphide gas through the solution a considerably greater delicacy has been obtained, or the water may be concentrated, after the addition of nitric acid, subsequent neutralization with KOH, and acidification with acetic acid (which does not decompose H_2S as does nitric acid), and the test made as before.

Lead sulphide is black even in small quantity, copper sulphide is copper brown, and therefore if either is present alone it may be detected, but if both are present in the same sample the one color obscures the other. The mixed sulphide may be oxidized by a drop of strong nitric acid, lead precipitated by a drop of sulphuric acid and ammonia added to alkalinity. If a trace of copper be present a characteristic blue color is produced.

Copper. Decant as before, add .1 to 1 cc. (according to the amount of water used) of H_2SO_4 (1:4), mix, add .1 to 1 cc. of a freshly made potassium ferrocyanide solution.

A copper-brown color indicates the presence of copper, which may be quantitatively determined by means of standards. Lead does not interfere, but iron, if present, must be removed by precipitation with ammonium hydrate and the filtrate acidified and tested.

Zinc. Decant and treat precisely as in the test for copper. A white turbidity or milkiness indicates the presence of zinc, becoming opaque white if the zinc is abundant. A dilution which shows turbidity only may be matched with standard solutions.

Considerable quantities of copper or iron interfere and must be removed.

Iron. Decant and acidify as before, but oxidize the ferrous iron to ferric by adding potassium permanganate (reagent) until a distinct pink color remains for two minutes, then add the ferrocyanide.

A blue color indicates the presence of iron, and its depth is proportional to the quantity of iron, which may be determined by means of standards.

If zinc is present, the turbidity may interfere with accuracy.

Sometimes the gases dissolved in the water are the active agents, and the water may be bettered by previous heating as in the case of bicarbonates in boiler waters, of hydrogen sulphide in some spring waters and of free carbon dioxide in others. The latter has been already referred to, page 7. Methods for the collection and determination of these will be found in Hempel's gas analysis, translation by Dennis.

SEVENTH LABORATORY EXERCISE.

If a sample is found to be muddy or colored it is to be clarified before using for fine manufacturing.

If a sample shows signs of pollution, i.e., ammonia nitrites, etc., it must not be used raw for any domestic purpose.

If hardness is over fifty parts per million it will be expensive to use in laundry work or fine textile industries.

Waters most seriously objectionable for use in boilers are apt to contain the following substances:

Substances which form scale:

Calcium sulphate.

Magnesium and calcium carbonates.

Soluble salts: oxides of iron, silica, and aluminum.

Clay and sand.

Organic matter as cementing material.

Substances which corrode boilers:

Acids, both mineral and organic.

Magnesium chloride.

Substances which cause priming:

Sodium and magnesium carbonates. Alkalies.

Certain organic matter.

Remedies for the defects found in waters are both general and specific. "Hard" waters are softened by removal of the calcium salts by precipitation and filtration. Any inexpensive substance that will accomplish this without rendering the water too corrosive is a "remedy." Treat 100 cc. of the sample with a known quantity of the substance chosen, "soda ash," sodium carbonate, tri-sodium phosphate, sodium fluoride, etc. After the reaction is complete (it is usually hastened by heat,

when the original volume must be made up by distilled water), filter 50 cc. and test for hardness, etc.

After treatment, determine if the action of the water on metals has been increased or diminished.

Class II may require very careful study to determine whether frequent blowing off and greater care are not cheaper than reagents. If only two or three fillings of the boilers can be used before wasting it ought to be cheaper to set up a water-softening plant.

Class III frequently needs treatment from another reason,—accumulation of sludge, foaming or priming, corrosion or need of removal of color and turbidity for manufacturing. The latter is usually accomplished by a substance like alum, which, decomposed in the water by some alkaline substance, forms a gelatinous drag net and carries down, if allowed to settle out, the objectionable clay and color as well as germs. The waters which show sufficient alkalinity to decompose alum cake, aluminum sulphate, may be tested for the lowest limit of alum which will do the work, because each grain per gallon of *anything* added to water makes an expense which soon becomes prohibitive. For this reason laboratory tests for remedies are at best only indicative of the general direction in which to work, and they serve as a preventive of serious mistakes and as time savers in suggestion of means.

Patent “boiler compounds” are not to be recommended. Analyses of the scale formed in any given case will often give light. See scheme at end of book.

Pitting is probably largely due to inequalities in the composition of the metal. Studies on these lines are in progress.

A preliminary test frequently useful is the behavior of the sample on simple heating and on heating with “correctives” such as “soda ash” or sodium phosphate. Heat to boiling

on the iron plate about 50 cc. in a small Erlenmeyer flask. Note if precipitation occurs indicating escape of excess of CO_2 , or if foaming occurs as concentration takes place. Add a little sodium carbonate in powder (soda ash). Note if sulphates precipitate $\text{CaSO}_4 + \text{Na}_2\text{CO}_3 = \text{CaCO}_3 + \text{Na}_2\text{SO}_4$. To the boiling sample add tri-sodium phosphate. Note precipitate. $\text{CaCO}_3 + \text{H}_1 + \text{HO}_1 + \text{CO}_2 = \text{Ca}(\text{HCO}_3)_2$. Primary or acid calcium carbonate is formed when normal carbonate is dissolved in water containing carbon dioxide. It cannot be isolated, and it decomposes at boiling temperature. CaCO_3 is precipitated and CO_2 escapes.

A statement was made in the *Railroad Gazette*, March 23 and 30, 1900, that outside of New England and some parts of the Middle South there are very few places where pure soft water can be obtained for locomotive boilers: "In the former localities boilers are found to be in good condition after twenty-five to thirty years' continuous service, while in bad water regions most of the boiler parts have to be renewed every five years or oftener. From statistics gathered the estimate is made that each locomotive using bad water is an expense of \$750 annually. The only way to prevent incrustation and corrosion is to purify the water before it enters the boiler: any process or method by which water free from these impurities can be delivered to the locomotive at less expense than fifty cents per one thousand gallons will be an advantageous arrangement."

This illustrates only one phase of the modern problem of securing the right quality of water for a given use.

MINERAL WATERS.

Notes on Mineral or Medicinal Waters.

From the hydrotheology of the earliest human records, through hydromythology of the early Greeks to the balneotherapy of the middle ages, water flowing from hidden springs, carrying more or less mineral or gaseous substances, has had a large share of both medical and priestly attention.

As chemistry became a science of weights and measures it looked askance at most of the values claimed for such dilute solutions as water.

It is only with the rise of physical chemistry that hydrotherapeutics is beginning to attract the attention of investigators.

The presence of radium in many springs, the effect of ionization on chemical reactions, the differences of electrical conductivity, with degrees of ionization, all point to a possible revival of the oldest cult known — the water cult or hydrology.

It will probably develop most scientifically along the lines of physical and electrical chemistry, but already an "industry" is in full swing in supplying the world with a traditional remedy for any ill flesh is heir to, and for furnishing a drinking water supposed to be germ-free because it is brought direct from the spring in a bottle.

The only excuse for including notes on mineral water in a treatise on industrial water analysis is the fact that the commerce has developed to such an extent that it is not probable that any considerable proportion of the millions of gallons sold is bottled at the supposed source that is implied on the label. It is a simple matter to repeat the formula with all the more

important constituents chemically analyzed. But the radium, the infinitesimal quantities of undiscovered elements perhaps, to which it may well be that the specific value is due, are absent.

But in modern life cleanness and correct labeling are taking a share of the industrial and sanitary chemist's time.

It is also believed that certain general considerations should be at the service of the physician who is liable to take a given mineral water at any seller's valuation unless warned, and who may unwittingly prescribe a compound he would studiously avoid in any other connection. The mineral content varies from 2 to 22 thousand parts per million, usually about ten thousand, made up of ten to twenty different substances. One or two may be in excess, giving name to a class as alkaline like Carlsbad which carries 1793 parts per million sodium (Na) or Pullowna with 5222 Na. 344 K. This is a sulphate and chloride water, 21154 SO_4 and 1913 Cl.

The earlier classification holds good for general tests. The author is of opinion that a water bad for boilers or metal pipes is not good for the human machine.

REFERENCE BOOKS ON MINERAL WATERS.

1. Mineral Wasser.....Goldburg.....Weimar, 1892.
2. Hydro-Chemie.....Dr. B. M. Lersch.....Bonn, 1870.
3. Geschichte der Balneologie, Hydroposie und Pegologie
Dr. B. M. Lersch.....Würzburg, 1863.
4. Mineral Waters of the United States: U. S. Dept. of Agric., Bureau of Chemistry, Bull. 91, 1905. J. K. Haywood and B. H. Smith.

PART II.

STANDARD SOLUTIONS.

"*Standard*" *Solutions* are made of any convenient value, provided it is known. Thus it is convenient to have a salt solution of one milligram, 0.001 gram per cc. instead of a normal or even a tenth normal $\frac{n}{10}$ NaCl. If the value is known it is standard whether normal or not. C. P. chemicals are used.

The molecular weight of NaCl is $23 + 35.5$, and *Normal* solution would contain 58.5 grams per liter, or 0.058 per cc., and of chlorine 0.0355, which is 35 times too much for use in this case, therefore $\frac{58}{35.5} = 1.648$ grams per liter are weighed out to give a value to 1 cc. of 0.001 gram Cl, a *Standard* solution.

The molecular weight of sulphuric acid, H_2SO_4 , is $2 + 32 + 64 = 98$, but a normal solution is one containing one hydrogen equivalent, therefore a *normal* sulphuric acid solution contains 49 grams H_2SO_4 in the liter. $\frac{n}{10} \cdot \frac{n}{50}$ or any desired strength is made by the suitable dilution. But for the determination of excess of carbon dioxide a standard solution of $\frac{n}{22}$ is used to give a direct reading of 1 cc. = 0.001 CO_2 . Sulphuric acid, H_2SO_4 , 98 grams, unites with Na_2CO_3 , 106 grams, or displaces $12 + 32 = 44 \text{ CO}_2$. Since it is twice the normal, 22 grams of CO_2 are to be used. The calculation is $1 \text{ cc.} = 0.022 \cdot \frac{n}{22} =$
 $1 \text{ cc.} \cdot \frac{n}{22} \text{ H}_2\text{SO}_4 = 0.001 \text{ gram CO}_2$.

Standard solutions are used not only with indicators to show when the desired reaction is completed, but also to produce colors which may be used in comparison with those in solutions of which the value is to be determined.

There are many substances the quantity of which may be estimated by the depth of color they give to the water in which they are dissolved. Picric acid and potassium chromate, for instance, dissolve with a characteristic color which is deeper the more of the substance present.

The quantitative determination is always made by the use of standard solutions explained above in which *known* quantities under *comparable* conditions are matched in color with the unknown. This method of estimating quantities of dissolved substances is of the greatest use in water analysis where the amounts are usually so small as to necessitate the evaporation of large volumes to secure a workable concentration. The earlier practice required weeks of time and gallons of water to perform an analysis which may now be completed with equal or greater accuracy in a few hours, using a few centimeters of water.

Substances liable to change during prolonged heating may now be determined in a few moments. Only spectroscopic methods exceed in delicacy some of the well-known colorimetric tests; for instance, by Nessler's reagent the ten-thousandth of a per cent of ammonia may be detected; a thousandth of a per cent of nitrite may be determined in ten minutes. In both these cases, the substances are so liable to change that the concentration of large amounts of solution would be impossible.

The apparatus required for colorimetric tests is usually very simple, easily carried and cleaned. Some tests, however, require

expensive instruments of precision called tintometers or colorimeters. These may save in time what they cost in money.

There are several limiting conditions to the use of colorimetric methods which must be clearly understood at the outset.

The depth of color given by a definite quantity of a substance is sometimes affected by temperature, as in the case of the ammonia determination, or by the presence of other substances, as in the nitrite test.

One of the most remarkable changes occurs with the dissociation of many substances on reaching a certain degree of dilution. The ions of many substances have a different color from the compound. Thus copper sulphate changes from blue to green on dilution; the mercur-ammonium from red to yellow. The dilution used is often, in fact usually, such that a mixture of colors results. From this it is seen at once that the standard used must be quite comparable in all respects.

The manner in which the light strikes the solution, the kind and thickness of glass used to contain it, the color of surrounding objects, all have an influence on the tint of color seen, and therefore all these must be the same for the standard and for the unknown solution. Moreover, since color is a subjective phenomenon due to the action of light on the eye itself, no two individuals see precisely the same color effect in the same substance, or can describe accurately what they see.

This fact makes the use of so-called *permanent* standards of less value for use by different persons than standards in gravimetric tests.

In cases where no great degree of accuracy is demanded, as in the determination of nitrites in water (time and the surrounding atmosphere affect the result greatly), standard papers may be used advantageously. Colored glass is extensively employed

for comparison, and only its expense prevents a wider use. Some metallic compounds keep the color and bear dilution sufficiently well to be used, but the student should know how to prepare standards for himself from comparable solutions, and should bear in mind the limits as above noted, and should watch for others which may occur, thus finding his personal equation in color work. There is a decided choice as to which depth of color may be compared with the greatest accuracy; for instance, that given by 1 to 3 cc. of standard ammonium chloride solution is more easily differentiated than a color given by 8 to 12 cc., and the color given by 5 cc. of standard nitrate in 10 cc. volume is more easily matched than a deeper color. As a rule, the lighter shades are preferred. The dilution is made before the reaction is brought about, in most cases, by accurately graduated measuring vessels with complete mixing of the liquids.

A few substances will dilute proportionately after the color is produced, as picric acid in the nitrate test, but the color produced by Nessler reagent in the ammonia test will not so dilute. Most of the colors change on standing, and therefore the test is carried out at once.

Many solutions do not retain their strength in the light, or in presence of organic matter, or because of molecular decomposition, as potassium permanganate, silver nitrate, sodium thiosulphate; such solutions need frequent standardization; for example, sodium thiosulphate in the determination of dissolved oxygen is standardized by potassium bichromate solution: $\text{K}_2\text{Cr}_2\text{O}_7 + 14 \text{HCl} + 6 \text{KI} = 8 \text{KCl} + 2 \text{CrCl}_3 + 7 \text{H}_2\text{O} + 6 \text{I}$. The molecular weight is therefore six times the "normal" based on hydrogen = 1.

49.07 grams is the weight for a liter "normal" bichromate and will yield $\frac{48}{6} = 8.000$ grams of oxygen. $\frac{1}{40}$ normal will

yield 0.200 gram O and 1 cc. (1000 cc. to the liter) will yield 0.0002 gram or 0.1395 cc. of oxygen at 0° C. and 760 mm.

Oxygen 16 : Iodine 127 : : 0.0002 : 0.0016 x.

$\frac{1}{40}$ normal thiosulphate (6.2 grams to the liter) should also give 0.0002 gram oxygen per cc. if of standard strength. To test it: Measure out 10 cc. of the bichromate from a burette pipette into a flask. Add 3 cc. KI, 3 cc. strong HCl, 100 of water, and shake two or three minutes. Titrate the liberated iodine with the thiosulphate to be tested. Note how much weaker or stronger it is and use the correction in the calculation.

The keeping qualities of the thiosulphate solution are improved by adding to each liter 5 cc. of chloroform and 1.5 grams of ammonium carbonate before making up to the prescribed volume.

Oxygen Dissolved.

Standard thiosulphate 1 cc. = 0.0002 gram oxygen. Standard bichromate, see above.

Reagents:

- (1) Manganous sulphate solution, 48 grams MnSO_4 in 100 cc. distilled water.
- (2) Sol. of NaOH and KI. Dissolve 360 grams NaOH and 100 grams KI in 1 liter of distilled water.

Hardness.

Standard Soap Solution. Dissolve 100 grams of the best white castile soap in a liter of 80 per cent alcohol. Dissolve 75–100 cc. of this in about a liter of 70 per cent alcohol, or until 14.25 cc. of it give the required lather with 50 cc. of standard calcium chloride solution.

Standard CaCl_2 Solution. Dissolve 0.2 gram pure Iceland spar or CaCO_3 in dilute HCl. Evaporate to dryness several times to remove excess of acid. Dissolve in 1 liter of water.

Nitrates.

Standard Nitrate Solution. Dissolve 0.720 gram pure recrystallized KNO_3 in 1 liter of water. Evaporate 10 cc. of this cautiously on water bath. Moisten quickly and thoroughly with 2 cc. of phenol-disulphonic acid and dilute to 1 liter. 1 cc. = 0.000001 gram N.

Reagent.

Phenol-disulphonic Acid. Heat together 3 grams synthetic phenol with 37 grams pure concentrated H_2SO_4 in a boiling water bath for 6 hours.

Brucine and concentrated H_2SO_4 .

Iron.

Standard Iron Solution. Dissolve 0.86 gram of ferric ammonium alum in 500 cc. of water, add 5 cc. HNO_3 (Sp. Gr. 1.20) and dilute to 1 liter. 1 cc. = .00001 gram Fe.

Reagents.

Potassium Sulphocyanate. 5 grams per liter.

Potassium Permanganate. 5 grams per liter.

Magnesium.

Saturated Lime Water. Shake 1 part of freshly slaked lime with 20 parts of distilled water for 20 minutes and let solution stand over night. Keep in bottle with closed circuit.

Nitrites.

1. Standard Milton Bradley papers VR. tint I equals .000001 gram N, in a one and one-eighth-inch Nessler tube filled to the 100 cc. mark. VR. tint 2 corresponds to .0000005 gram N.

2. *Sulphanilic Acid.* Dissolve 3.3 grams sulphanilic acid in 750 cc. of water by aid of heat; add 250 cc. glacial acetic acid.

3. *Naphthylamine Acetate.* Boil 0.5 gram of α naphthylamine in 100 cc. of water for 5 minutes. Filter through a plug of

washed absorbent cotton. Add 250 cc. glacial acetic acid and dilute to 1 liter.

Chlorine.

1. *Standard Salt Solution.* Dissolve 16.48 grams of fused NaCl in 1 liter of distilled water. Dilute 100 cc. of this to 1 liter for standard. 1 cc. = 0.001 gram Cl.

2. *Standard Silver Nitrate.* Dissolve about 2.42 grams AgNO_3 (dry crystals) in 1 liter of distilled water. 1 cc. = 0.0005 gram Cl approximately. Standardize against the NaCl solution.

3. *Potassium Chromate Indicator.* Dissolve 50 grams of neutral potassium chromate in a little distilled water. Add enough silver nitrate to produce a slight red precipitate. Filter and make up the filtrate to one liter with distilled water free from chlorine.

Oxygen Consumed.

1. *Dilute Sulphuric Acid.* One part sulphuric acid to three parts of distilled water. This should be freed from oxidizable matters by adding potassium permanganate until a faint pink color persists after standing several hours.

2. *Standard Potassium Permanganate Solution.* Dissolve 0.4 gram of the crystalline compound in 1 liter of distilled water. Standardize against an ammonium oxalate solution. One cc. is equivalent to 0.0001 gram of available oxygen.

3. *Standard Ammonium Oxalate Solution.* Dissolve 0.888 gram of the substance in one liter of distilled water. 1 cc. is equivalent to 0.0001 gram of oxygen.

Free and Albuminoid Ammonia.

1. *Standard Ammonia Solution.* Dissolve 3.8215 grams C.P. NH_4Cl in a liter of water, free from ammonia. This is the strong solution from which the standard solution is made by diluting 10 cc. to a liter with ammonia-free water. One cc. of the standard solution = .00001 gram N.

2. *Alkaline Permanganate.* Dissolve 233 grams of the best stick potash in 350 cc. of distilled water. Filter this strong solution, if necessary, through a layer of glass wool on a porcelain filter plate. Dilute with 700 to 750 cc. of distilled water to a sp. gr. of 1.125, add 8 grams of potassium permanganate crystals, and boil down to one liter to free the solution from nitrogen.. Each new lot of reagent must be tested before being used, but when the chemicals used are all good there should be no correction needed for ammonia in the solution.

3. *Nessler's Reagent.* Dissolve 50 grams potassium iodide in a minimum quantity of cold water. Add a saturated solution of mercuric chloride until a slight but permanent red precipitate persists; add 400 cc. of 50 per cent solution of potassium hydrate, made from only the purest of material. This solution should give the required color with ammonia within five minutes after addition, and should not precipitate with small amounts of ammonia within two hours.

4. *Ammonia-free Water.* Redistill distilled water from alkaline potassium permanganate.

Reagents for Metals.

Solution of Ca sulphide.

Sulphur in fine powder.....	20 grams.
Slaked lime.....	20 grams.
Distilled water	500 cc.

Boil until about 400 cc. remain.

The solution should have a rich orange-red color; when this fades the solution has become useless.

Solution of Potassium Ferro-Cyanide. Dissolve a clear yellow crystal as large as a large pea in 25 cc. of distilled water.

This solution does not keep, and must be made up fresh on the day it is to be used.

COMPUTATION OF HYPOTHETICAL COMBINATIONS FROM ANALYSES.

The business man always asks for the compound known to him in other relations to be reported from a water analysis. This is not often possible with any degree of exactness in the limitation of our present knowledge. In the case of medicinal water, which was the earliest form of analysis, the combination of the mineral substances was doubtless of particular consequence.

SAMPLE REPORT.

RESERVOIR WATER FROM CYPRESS, ILLINOIS, AUGUST 1 TO 30, 1906.

Ions.	Parts per Million.	Hypothetical Combinations.		
		Ions.	Parts per Million.	Grains per Gallon.
Turbidity.....	146.	Sod. nitrate..(NaNO_3)..	1.1	.06
Susp. solids.....	58.1	Sod. chloride (NaCl)..	11.2	.65
Diss. solids.....	142.8	Sod. sulphate (Na_2SO_4)..	43.2	2.50
Potassium and K		Mag. carb....(MgCO_3)..	35.3	2.05
Sodium...(Na)....	18.7	Cal. carb....(CaCO_3)..	63.9	3.70
Magnesium..(Mg)...	10.2	Iron carb....(FeCO_3)..	1.6	.10
Calcium....(Ca)....	25.6	Alumina....(Al_2O_3)...	.9	.05
Iron.....(Fe)....	.8	Silica.....(SiO_2)...	8.8	.52
Aluminum..(Al)....	.5	Bases.....(SiO_2+)..	.8	.05
Silica.....(SiO_2)..	8.8			
Bases + Si..(SiO_2+)	.8	Total.....	166.8	9.70
Nitrates....(NO_3)...	.8			
Chloride....(Cl)....	6.8			
Sulphate....(SO_4)...	28.9			
Carbonate..(HCO_3)..	99.9			

For industrial use it is usually of less importance, and the author deprecates the waste of time spent on elaborate calcu-

lations. The public soon learns to take results and interpret them as given. The student should, however, understand the rules of such combinations based chiefly on solubilities in the presence or absence of other salts.

At various stages of chemical knowledge, results have been reported in various ways. Just now the U. S. Geological Survey has set the fashion of reporting in ions as shown in the example given.

To the engineer and inspector a knowledge of the foregoing methods is especially desirable.

The composition of the rocks and soils affects the amount and kind of dissolved substances found in water in any given locality, and the distance from the sea affects the normal chlorine which in the interior has been found within 1 part per million when not affected by salt deposits or by *pollution*.

Some idea of the composition of the water found in different parts of the world is useful as an indication of what the engineer may expect to encounter.

The water taken by man for his use is that which is on its way to the ocean. He takes it in various concentrations from rain caught before it reaches the ground to the brines leaching out salt deposits. The kind of rock and soil through which water percolates or over which it flows modifies and controls the amount of solid matter it carries in solution as it flows on its course. The following are instances of such modification. There are regions where no good water is available. The examples given, except perhaps the Dead Sea, have all been used for industrial purposes, sea water not unfrequently so.

PERCENTAGE COMPOSITION OF SALINITY IN VARIOUS
WATERS.

TAKEN FROM U. S. G. S. BULLETIN 330.

	A	B	C	D	E	F
CO ₃	51.65	34.74	59.03	.20	trace	40.02
SO ₄	1.05	14.90	.88	7.89	.31	21.73
Cl.....	.48	6.23	.59	55.11	65.81	.64
NO ₃		1.57				
Ca.....	22.94	20.42	15.25	1.23	4.73	23.25
Mg.....	4.09	5.21	10.71	3.65	13.28	5.82
Na.....	5.14	4.92	6.68	30.64	11.65	1.81
K.....	1.75	4.65	2.24	1.09	1.85	2.04
SiO ₂	9.40	6.77	2.97		trace	4.01
Fe ₂ O ₃	1.49	.15	1.65			
Al ₂ O ₃	2.01	.44				0.58
Total per cent.....	100.00	100.00	100.00	100.00	100.00	100.00
Alkalinity, parts per million.....	195	166	144	38,789	192,150	563

- A. Mississippi River at Minneapolis.
 B. Mississippi River above New Orleans.
 C. Mille Lacs Lake.
 D. Mediterranean (mid-sea).
 E. Dead Sea — surface at north end.
 F. Virginia Hot Springs, Virginia.

TABLE I.

TABLE OF HARDNESS, SHOWING THE PARTS OF CALCIUM CARBONATE (CaCO_3) IN 1,000,000 FOR EACH TENTH OF A CUBIC CENTIMETER OF WEAK SOAP SOLUTION USED.

Using 50 cc. of the sample.

Soap Solution, cc.	0.0 cc.	0.1 cc.	0.2 cc.	0.3 cc.	0.4 cc.	0.5 cc.	0.6 cc.	0.7 cc.	0.8 cc.	0.9 cc.
0.0	0.0	1.6	3.2
1.0	4.8	6.3	7.9	9.5	11.1	12.7	14.3	15.6	16.9	18.2
2.0	19.5	20.8	22.1	23.4	24.7	26.0	27.3	28.6	29.9	31.2
3.0	32.5	33.8	35.1	36.4	37.7	39.0	40.3	41.6	42.9	44.3
4.0	45.7	47.1	48.6	50.0	51.4	52.9	54.3	55.7	57.1	58.6
5.0	60.0	61.4	62.9	64.3	65.7	67.1	68.6	70.0	71.4	72.9
6.0	74.3	75.7	77.1	78.6	80.0	81.4	82.9	84.3	85.7	87.1
7.0	88.6	90.0	91.4	92.9	94.3	95.7	97.1	98.6	100.0	101.5
8.0	103.0	104.5	106.0	107.5	109.0	110.5	112.0	113.5	115.0	116.5
9.0	118.0	119.5	121.1	122.6	124.1	125.6	127.1	128.6	130.1	131.6
10.0	133.1	134.6	136.1	137.6	139.1	140.6	142.1	143.7	145.2	146.8
11.0	148.4	150.0	151.6	153.2	154.8	156.3	157.9	159.5	161.1	162.7
12.0	164.3	165.9	167.5	169.0	170.6	172.2	173.8	175.4	177.0	178.6
13.0	180.2	181.7	183.3	184.9	186.5	188.1	189.7	191.3	192.9	194.4
14.0	196.0	197.6	199.2	200.8	202.4	204.0	205.6	207.1	208.7	210.3
15.0	211.9	213.5	215.1	216.8	218.5	220.2	221.8	223.5	225.2	226.9

TABLE II.

TABLE OF HARDNESS, SHOWING THE PARTS OF CaCO_3 IN 1,000,000 FOR EACH TENTH OF A CUBIC CENTIMETER OF WEAK SOAP SOLUTION USED.

Using 10 cc. of sample of water plus 40 cc. distilled water.

Soap Solution, cc.	0.0 cc.	0.1 cc.	0.2 cc.	0.3 cc.	0.4 cc.	0.5 cc.	0.6 cc.	0.7 cc.	0.8 cc.	0.9 cc.
0.0	8.0	16.0
1.0	24.0	31.5	39.5	47.5	55.5	63.5	71.5	78.0	84.5	91.0
2.0	97.5	104.0	110.5	117.0	123.5	130.0	136.5	143.0	149.5	156.0
3.0	162.5	169.0	175.5	182.0	188.5	195.0	201.5	208.0	214.5	221.5
4.0	228.5	235.5	243.0	250.0	257.0	264.5	271.5	278.5	285.5	293.0
5.0	300.0	307.0	314.5	321.5	328.5	335.5	343.0	350.0	357.0	364.5
6.0	371.5	378.5	385.5	393.0	400.0	407.0	414.5	421.5	428.5	435.5
7.0	443.0	450.0	457.0	464.5	471.5	478.5	485.5	493.0	500.0	507.5
8.0	515.0	522.5	530.0	537.5	545.0	552.5	560.0	567.5	575.0	582.5
9.0	590.0	597.6	605.5	613.0	620.5	628.0	635.5	643.0	650.5	658.0
10.0	665.5	673.0	680.5	688.0	695.5	703.0	710.5	718.5	726.0	734.0
11.0	742.0	750.0	758.0	766.0	774.0	781.5	789.5	797.5	805.5	813.4
12.0	821.5	829.5	837.5	845.0	853.0	861.0	869.0	877.0	885.0	893.0
13.0	901.0	908.5	916.5	924.5	932.5	940.5	948.5	956.5	964.5	972.0
14.0	980.0	988.0	996.0	1004.0	1012.0	1020.0	1028.0	1035.5	1043.5	1051.5
15.0	1059.5	1067.5	1075.5	1084.0	1092.5	1101.0	1109.0	1117.5	1126.0	1134.5

TABLE III.

TABLE OF HARDNESS, SHOWING THE PARTS OF CaCO_3 IN 1,000,000 FOR EACH TENTH OF A CUBIC CENTIMETER OF STRONG SOAP SOLUTION USED.

Using 50 cc. of sample.

Soap Solution, cc.	0.0 cc.	0.1 cc.	0.2 cc.	0.3 cc.	0.4 cc.	0.5 cc.	0.6 cc.	0.7 cc.	0.8 cc.	0.9 cc.
0.0	0.0	1.6	4.8	7.9	11.1	14.3	16.9
1.0	19.5	22.1	24.7	27.3	29.9	32.5	35.1	37.7	40.3	42.9
2.0	45.7	48.6	51.4	54.3	57.1	60.0	62.9	65.7	68.6	71.4
3.0	74.3	77.1	80.0	82.9	85.7	88.6	91.4	94.3	97.1	100.0
4.0	103.0	106.0	109.0	112.0	115.0	118.0	121.1	124.1	127.1	130.1
5.0	133.1	136.1	139.1	142.1	145.2	148.4	151.6	154.8	157.9	161.1
6.0	164.3	167.5	170.6	173.8	177.0	180.2	183.3	186.5	189.7	192.9
7.0	196.0	199.2	202.4	205.6	208.7	211.9	215.1	218.5	221.8	225.2

TABLE IV.

TABLE OF HARDNESS, SHOWING THE PARTS OF CaCO_3 IN 1,000,000 FOR EACH TENTH OF A CUBIC CENTIMETER OF STRONG SOAP SOLUTION USED.

Using 10 cc. of sample of water plus 40 cc. distilled water.

Soap Solution, cc.	0.0 cc.	0.1 cc.	0.2 cc.	0.3 cc.	0.4 cc.	0.5 cc.	0.6 cc.	0.7 cc.	0.8 cc.	0.9 cc.
0.0	0.0	8.0	24.0	39.5	55.5	71.5	84.5
1.0	97.5	110.5	123.5	136.5	149.5	162.5	175.5	188.5	201.5	214.5
2.0	228.5	243.0	257.0	271.5	285.5	300.0	314.5	328.5	343.0	357.0
3.0	371.5	385.5	400.0	414.5	428.5	443.0	451.0	471.5	485.5	500.0
4.0	515.0	530.0	545.0	560.0	575.0	590.0	605.5	620.5	635.5	650.5
5.0	665.5	680.5	695.5	710.5	726.0	742.0	758.0	774.0	789.5	805.5
6.0	821.5	837.5	853.0	869.0	885.0	901.0	916.5	932.5	948.5	964.5
7.0	980.0	996.0	1012.0	1028.0	1043.5	1059.5	1075.5	1092.5	1109.0	1126.0

Jour. Am. Chem. Soc., 1901, 799.

TABLE V.

TABLE FOR THE PHOTOMETRIC DETERMINATION OF SULPHURIC ACID.

Depth in cm.	SO ₃ Parts per Million.	Depth in cm.	SO ₃ Parts per Million.	Depth in cm.	SO ₃ Parts per Million.	Depth in cm.	SO ₃ Parts per Million.
1.0	522.	4.0	140.	7.0	81.	10.0	57.
1.1	478.	4.1	137.	7.1	80.	10.2	56.
1.2	442.	4.2	133.	7.2	79.	10.4	55.
1.3	410.	4.3	131.	7.3	78.	10.6	54.
1.4	383.	4.4	128.	7.4	77.	10.8	53.
1.5	359.	4.5	125.	7.5	76.	11.0	52.
1.6	338.	4.6	122.	7.6	75.	11.2	51.
1.7	319.	4.7	119.	7.7	74.	11.4	50.
1.8	302.	4.8	117.	7.8	73.	11.6	49.
1.9	287.	4.9	115.	7.9	72.	11.8	48.
2.0	273.	5.0	113.	8.0	71.	12.0	47.
2.1	261.	5.1	110.	8.1	70.	12.2	47.
2.2	250.	5.2	108.	8.2	69.	12.4	46.
2.3	239.	5.3	106.	8.3	68.	12.6	45.
2.4	230.	5.4	104.	8.4	68.	12.8	44.
2.5	221.	5.5	103.	8.5	67.	13.0	43.
2.6	213.	5.6	101.	8.6	66.	13.5	42.
2.7	205.	5.7	99.	8.7	65.	14.0	41.
2.8	198.	5.8	97.	8.8	64.	14.5	39.
2.9	191.	5.9	96.	8.9	64.	15.0	38.
3.0	185.	6.0	94.	9.0	63.	15.5	37.
3.1	179.	6.1	93.	9.1	62.	16.0	36.
3.2	173.	6.2	91.	9.2	62.	16.5	35.
3.3	168.	6.3	90.	9.3	61.	17.0	34.
3.4	164.	6.4	88.	9.4	60.	17.5	33.
3.5	159.	6.5	87.	9.5	60.	18.0	32.
3.6	155.	6.6	86.	9.6	59.	18.5	31.
3.7	151.	6.7	84.	9.7	59.	19.0	30.
3.8	147.	6.8	83.	9.8	58.	19.5	29.
3.9	144.	6.9	82.	9.9	57.	20.0	29.

J. I. D. Hinds. *Journal Am. Chem. Soc.*, 18, 661, and 22, 269.

TABLE VI.

FOR THE CONVERSION OF PARTS PER 1,000,000 INTO GRAINS PER GALLON,
AND VICE VERSA: ALSO, FOR COMPARING DEGREES
OF HARDNESS.

Parts in 1,000,000.	Grains in U. S. Stan- dard Gallon.	Grains in Imperial Gallon.	Degrees of Hardness.		
			French: Parts CaCO ₃ in 1,000,000.	English: Grains CaCO ₃ in Imperial Gallon.	German: Parts CaO in 1,000,000.
1	.0584	.07	1	.07	0.6
2	.1167	.14	2	.14	1.1
3	.1751	.21	3	.21	1.7
4	.2335	.29	4	.28	2.2
5	.2919	.35	5	.35	2.8
6	.3502	.42	6	.42	3.4
7	.4086	.49	7	.49	3.9
8	.4670	.56	8	.56	4.5
9	.5254	.63	9	.63	5.0
17.131	1	1.1992	14.	1	08.
34.262	2	2.3893	29.	2	16.
51.393	3	3.5975	43.	3	24.
68.524	4	4.7967	67.	4	32.
85.655	5	5.9958	71.	5	40.
102.786	6	7.1950	86.	6	48.
119.917	7	8.3942	100.	7	56.
137.048	8	9.5934	114.	8	64.
154.179	9	10.7925	128.	9	72.
14.286	0.8339	1	1.8	.12	1
28.571	1.6678	2	3.6	.25	2
42.857	2.5017	3	5.4	.38	3
57.143	3.3356	4	7.1	.50	4
71.428	4.1695	5	9.0	.63	5
85.714	5.0033	6	10.7	.75	6
100.000	5.8372	7	12.6	.88	7
114.286	6.6711	8	14.3	1.00	8
128.571	7.5050	9	16.1	1.13	9

Water Supply, Chemical and Sanitary. William Ripley Nichols. 1880.

TABLE VII.

	Specific Gravity at 15° C.	Per cent Strength.
H ₂ SO ₄ (Oil of vitriol).....	1.84	100
Sulphuric acid.....	1.82	90
	1.73	80
	1.61	70
	1.39	50
HCl (Hydrochloric acid).....	1.20	40.7
	1.18	36.7
	1.12	24.4
	1.10	20.8

By weight:

	Specific Gravity at 20° C.
50 per cent alcohol.....	.914
60 per cent alcohol.....	.892
70 per cent alcohol.....	.868
80 per cent alcohol.....	.844
90 per cent alcohol.....	.818
95 per cent alcohol.....	.805

50 per cent is made from 100 cc. of 95 per cent alcohol + 90 cc. water.
 60 per cent is made from 100 cc. of 95 per cent alcohol + 70 cc. water.
 50 per cent is made from 100 cc. of 90 per cent alcohol + 84.7 cc. water.
 60 per cent is made from 100 cc. of 90 per cent alcohol + 53.6 cc. water.

TABLE VIII.

QUANTITY OF PURE REAGENTS REQUIRED TO REMOVE ONE POUND OF
INCRUSTING OR CORROSIVE MATTER FROM THE WATER.

Incrusting of Corrosive Substance held in Solution.	Amount of Reagent. (Pure.)	Foaming Matter Increased.
Sulphuric acid.....	0.57 lb. lime plus 1.08 lb. soda ash.....	1.45 lb.
Free carbonic acid.....	1.27 lb. lime	None
Calcium carbonate.....	0.36 lb. lime	None
Calcium sulphate.....	0.78 lb. soda ash	1.04 lb.
Calcium chloride	0.96 lb. soda ash	1.05 lb.
Calcium nitrate	0.65 lb. soda ash	1.04 lb.
Magnesium carbonate.....	1.33 lb. lime	None
Magnesium sulphate.....	0.47 lb. lime plus 0.88 lb. soda ash.....	1.18 lb.
Magnesium chloride.....	0.59 lb. lime plus 1.11 lb. soda ash.....	1.22 lb.
Magnesium nitrate.....	0.38 lb. lime plus 0.72 lb. soda ash.....	1.15 lb.
Calcium carbonate.....	1.71 lb. barium hydrate	None
Magnesium carbonate.....	4.05 lb. barium hydrate	None
Magnesium sulphate.....	1.42 lb. barium hydrate	None
Calcium sulphate.....	1.26 lb. barium hydrate	None

In precipitating the calcium sulphate, there would be also precipitated 0.74 pound of calcium carbonate or 0.31 pound of magnesium carbonate, the 1.26 pounds barium hydrate performing the work of 0.41 pound of lime and 0.78 pound of soda ash; or for reacting either on magnesium or calcium sulphate, 1 pound of barium hydrate performs the work of 0.33 pound of lime plus 0.62 pound of soda ash, and the lime treatment can be correspondingly reduced.—*Report of Committee on Water Service of the American Railway Engineering and Maintenance of Way Association*, Eng. Record, April 20, 1907.

TABLE IX.

INTERNATIONAL ATOMIC WEIGHTS FOR 1910.

(From *Journal of the American Chemical Society*, Vol. XXXII, No. 1.)

		O = 16
Aluminum.....	(Al).....	27.1
Barium.....	(Ba).....	137.37
Calcium.....	(Ca).....	40.09
Carbon.....	(C).....	12.00
Chlorine.....	(Cl).....	35.46
Chromium.....	(Cr).....	52.0
Hydrogen.....	(H).....	1.008
Iodine.....	(I).....	126.92
Iron.....	(Fe).....	55.85
Lead.....	(Pb).....	207.10
Magnesium.....	(Mg).....	24.32
Manganese.....	(Mn).....	54.93
Nitrogen.....	(N).....	14.01
Oxygen.....	(O).....	16.00
Phosphorus.....	(P).....	31.0
Potassium.....	(K).....	39.10
Silver.....	(Ag).....	107.88
Sodium.....	(Na).....	23.00
Sulphur.....	(S).....	32.07
Zinc.....	(Zn).....	65.37

SCHEME FOR TESTING BOILER SCALE.

Drop several small fragments of the boiler scale into dilute (1 : 2) hydrochloric acid.

A brisk effervescence shows that the scale is largely composed of *Calcium Carbonate* (Limestone).

After the action of the acid has *nearly* ceased, heat the acid and scale.

A deep yellow color and further giving off of gas indicates IRON CARBONATE.

After the action of the acid on the scale has ceased, dilute and pour off some of the clear liquid into another test tube.

The residue is the *Silica* (sand) and the *Clayey matter*.

To the clear liquid add a few drops of Barium Chloride Solution.

A white powder or precipitate indicates *Sulphates*.

Solution = *Soluble Chlorides*.

CONVENIENT DATA.

- 1 boiler horsepower is computed as requiring 30 pounds of water per hour.
- 1 indicated horsepower requires, in large condensing engines, about $1\frac{3}{4}$ U. S. gallons of water evaporated per hour.
- 1 indicated horsepower requires, in small non-condensing engines, frequently as much as 7 to 8 gallons of water evaporated per hour.
- 1 pound of coal will evaporate 1 gallon of water in an ordinary boiler.
- 1000 gallons of water of 143 parts per million CaCO_3 degrees hardness deposit 1.4 pound scale in a boiler.

SOME USEFUL REFERENCES.

- Value of Pure Water.* By George C. Whipple. Published by John Wiley & Sons. New York.
- The Filtration of Public Water Supplies.* By Allen Hazen. Published by John Wiley & Sons. New York.
- Report of the Commission on Additional Water Supply for the City of New York, Appendix VI.
- Water Supply.* By William P. Mason. Published by Wiley & Sons. New York.
- Report of Committee on Standard Methods of Water Analyses, to the Laboratory Section of the American Public Health Association. (Reprinted from the Journal of Infectious Diseases, Supplement No. 1, May, 1905.) Eng. Record, Feb. 16 and Apr. 20, 1907. 114 Liberty St., New York.
- Department of Interior, U. S. Geological Survey:
Underground Water Papers: Water Supply and Irrigation Paper No. 160, by Myron L. Fuller. (See list of Underground Water papers at the end.)
Field Assay of Water, No. 151, by Marshall O. Leighton. (See list of Water Supply and Irrigation papers.)
- The Corrosion of Iron.* By W. R. Whitney. Reprinted from the Journal of the American Chemical Society. Vol. 25, p. 394.
Also by W. H. Walker. Vol. 29, p. 1251.
- Traite de L'Epuration des Eaux Naturelles et Industrielles.* By E. Delhotel. Published by Baudry & Cie. — Editeurs.
- Chemistry 16 — A Course for Engineering Students.* By S. W. Parr. Published by the University of Illinois.
- Water and Its Purification.* By S. Rideal, D.Sc. Published by J. B. Lippincott Co. Philadelphia.
- The Analysis and Softening of Boiler Feed Water.* By Wehrenfennig, translated by D. W. Patterson. Published by John Wiley & Sons. New York.
- Engine Room Chemistry.* By Augustus H. Gill. Hill Publishing Co. New York.
- The Examination of Waters and Water Supplies.* J. C. Thresh. H. & A. Churchill, London.
- U. S. G. S. Bulletin No. 330. Frank Wigglesworth Clarke.
- U. S. G. S. Series of Water Supply Papers.
- U. S. Dept. of Agriculture. Office of Public Roads. Bull. No. 30.

INDEX.

	PAGE
Action on metals	28
Alkalinity	12
Ammonia	21
Atomic weights	52
Bacteriological examination	25
Brucine test	8
Calcium carbonate	12
Calcium sulphate	14
Carbon dioxide	7
Chlorine	22
Copper	28
Corrosion	8
Hardness	5, 12, 14, 33
Incrustants	9, 14
Iron	9, 16
Lead	27
Magnesium	12, 13, 14
Manganese	17
Metals	28
Mineral waters	33
Nitrates	7
Nitrites	21
Oxygen consumed	17, 18
Oxygen dissolved	23, 24
Pitting	26
Radium	33
Reagents	39-42

	PAGE
Remedies	30
Sanitary analysis	22-23
Sediment	16
Standard solutions	35-42
Sulphates	9-11
Total solids	9
Turbidimeter	10
Turbidity	16
Zinc	28

SHORT-TITLE CATALOGUE

OF THE PUBLICATIONS

OF JOHN WILEY & SONS

NEW YORK

London: CHAPMAN & HALL, Limited

Montreal, Can.: RENOUF PUB. CO.

ARRANGED UNDER SUBJECTS

Descriptive circulars sent on application. Books marked with an asterisk (*) are sold at *net* prices only. All books are bound in cloth unless otherwise stated.

AGRICULTURE—HORTICULTURE—FORESTRY.

ARMSBY—Principles of Animal Nutrition.....	8vo,	\$4 00
BOWMAN—Forest Physiography.....	8vo,	*5 00
BUDD and HANSEN—American Horticultural Manual:		
Part I. Propagation, Culture, and Improvement.....	12mo,	1 50
Part II. Systematic Pomology.....	12mo,	1 50
ELLIOTT—Engineering for Land Drainage.....	12mo,	2 00
Practical Farm Drainage. (Second Edition, Rewritten).....	12mo,	1 50
FULLER—Domestic Water Supplies for the Farm.....	8vo,	*1 50
GRAVES—Forest Mensuration.....	8vo,	4 00
Principles of Handling Woodlands.....	Small 8vo,	*1 50
GREEN—Principles of American Forestry.....	12mo,	1 50
GROTEFELT—Principles of Modern Dairy Practice. (WOLL.).....	12mo,	2 00
HAWLEY and HAWES—Forestry in New England.....	8vo,	*3 50
HERRICK—Denatured or Industrial Alcohol.....	8vo,	*4 00
KEMP and WAUGH—Landscape Gardening. (New Edition, Rewritten).....	12mo,	*1 50
LARSEN and WHITE—Dairy Technology.....	Small 8vo,	*1 50
McKAY and LARSEN—Principles and Practice of Butter-making.....	8vo,	*1 50
MAYNARD—Landscape Gardening as Applied to Home Decoration... 12mo,		1 50
RECORD—Identification of the Economic Woods of the United States... 8vo,		*1 25
RECKNAGEL—Theory and Practice of Working Plans (Forest Organization).....	(In Press.)	
SANDERSON—Insect Pests of Farm, Garden, and Orchard.....	Small 8vo,	*3 00
Insects Injurious to Staple Crops.....	12mo,	1 50
SCHWARZ—Longleaf Pine in Virgin Forest.....	12mo,	*1 25
SOLOTAROFF—Field Book for Street-tree Mapping.....	12mo,	*0 75
In lots of one dozen.....		*8 00
Shade Trees in Towns and Cities.....	8vo,	*3 00
STOCKBRIDGE—Rocks and Soils.....	8vo,	2 50
WINTON—Microscopy of Vegetable Foods.....	Large 8vo,	7 50
WOLL—Handbook for Farmer and Dairyman.....	16mo,	1 50

ARCHITECTURE.

ATKINSON—Orientation of Buildings or Planning for Sunlight.....	8vo,	*2 00
BALDWIN—Steam Heating for Buildings.....	12mo,	2 50
BERG—Buildings and Structures of American Railroads.....	4to,	5 00

BIRKMIRE—Architectural Iron and Steel.....	8vo,	\$3 50
Compound Riveted Girders as Applied in Buildings.....	8vo,	2 00
Planning and Construction of High Office Buildings.....	8vo,	3 50
Skeleton Construction in Buildings.....	8vo,	3 00
BRIGGS—Modern American School Buildings.....	8vo,	4 00
BYRNE—Inspection of Materials and Workmanship Employed in Construction.....	16mo,	3 00
CARPENTER—Heating and Ventilating of Buildings.....	8vo,	4 00
CORTHELL—Allowable Pressure on Deep Foundations.....	12mo,	*1 25
ECKEL—Building Stones and Clays.....	8vo,	*3 00
FREITAG—Architectural Engineering.....	8vo,	3 50
Fire Prevention and Fire Protection.....	16mo, mor.,	*4 00
Fireproofing of Steel Buildings.....	8vo,	2 50
GERHARD—Guide to Sanitary Inspections.....	12mo,	1 50
Modern Baths and Bath Houses.....	8vo,	*3 00
Sanitation of Public Buildings.....	12mo,	1 50
Theatre Fires and Panics.....	12mo,	1 50
The Water Supply, Sewerage and Plumbing of Modern City Buildings,	8vo,	*4 00
GREENE—Elements of Heating and Ventilation.....	8vo,	*2 50
JOHNSON—Statics by Algebraic and Graphic Methods.....	8vo,	2 00
KELLAWAY—How to Lay Out Suburban Home Grounds.....	8vo,	2 00
KIDDER—Architects' and Builders' Pocket-book.....	16mo, mor.,	5 00
MERRILL—Stones for Building and Decoration.....	8vo,	5 00
MONCKTON—Stair-building.....	4to,	4 00
PATTON—Practical Treatise on Foundations.....	8vo,	5 00
PEABODY—Naval Architecture.....	8vo,	7 50
RICE—Concrete-block Manufacture.....	8vo,	2 00
RICHEY—Handbook for Superintendents of Construction.....	16mo, mor.,	4 00
Building Foreman's Pocket Book and Ready Reference.....	16mo, mor.,	5 00
Building Mechanics' Ready Reference Series: *		
Carpenters' and Woodworkers' Edition.....	16mo, mor.,	*1 50
Cement Workers' and Plasterers' Edition.....	16mo, mor.,	*1 50
Plumbers', Steam-Fitters', and Tinnern's Edition.....	16mo, mor.,	*1 50
Stone- and Brick-masons' Edition.....	16mo, mor.,	*1 50
RIES—Building Stones and Clay Products.....	8vo,	*3 00
SABIN—House Painting (Glazing, Paper Hanging and Whitewashing).....	12mo,	1 00
SIEBERT and BIGGIN—Modern Stone-cutting and Masonry.....	8vo,	1 50
SNOW—Principal Species of Wood.....	8vo,	3 50
WAIT—Engineering and Architectural Jurisprudence.....	8vo,	6 00
Sheep.....		6 50
Law of Contracts.....	8vo,	3 00
Law of Operations Preliminary to Construction in Engineering and Architecture.....	8vo,	5 00
Sheep.....		5 50
WILSON—Air Conditioning.....	12mo,	1 50
WORCESTER and ATKINSON—Small Hospitals, Establishment and Maintenance, Suggestions for Hospital Architecture, with Plans for a Small Hospital.....	12mo,	1 25

ASSAYING.

BETTS—Lead Refining by Electrolysis.....	8vo,	4 00
FLETCHER—Practical Instructions in Quantitative Assaying with the Blow-pipe.....	16mo, mor.,	1 50
FURMAN and PARDOE—Manual of Practical Assaying.....	8vo,	3 00
LODGE—Notes on Assaying and Metallurgical Laboratory Experiments.....	8vo,	3 00
LOW—Technical Methods of Ore Analysis.....	8vo,	3 00
MILLER—Cyanide Process.....	12mo,	1 00
Manual of Assaying.....	12mo,	1 00
MINET—Production of Aluminum and its Industrial Use. (WALDO).....	12mo,	2 50
PRICE and MEADE—The Technical Analysis of Brass and the Non-Ferrous Alloys.....	12mo,	*2 00
RICKETTS and MILLER—Notes on Assaying.....	8vo,	3 00
ROBINE and LENGLEN—Cyanide Industry. (LE CLERC).....	8vo,	4 00
SEAMON—Manual for Assayers and Chemists.....	Small 8vo,	*2 50

ULKE—Modern Electrolytic Copper Refining.....	8vo,	\$3 00
WILSON—Chlorination Process.....	12mo,	1 50
Cyanide Processes.....	12mo,	1 50

ASTRONOMY.

COMSTOCK—Field Astronomy for Engineers.....	8vo,	2 50
CRAIG—Azimuth.....	4to,	3 50
CRANDALL—Text-book on Geodesy and Least Squares.....	8vo,	3 00
DOOLITTLE—Treatise on Practical Astronomy.....	8vo,	4 00
HAYFORD—Text-book of Geodetic Astronomy.....	8vo,	3 00
HOSMER—Azimuth.....	16mo, mor.,	1 00
Text-book on Practical Astronomy.....	8vo,	*2 00
MERRIMAN—Elements of Precise Surveying and Geodesy.....	8vo,	2 50
MICHIE and HARLOW—Practical Astronomy.....	8vo,	*3 00
RUST—Ex-meridian Altitude, Azimuth and Star-Finding Tables.....	8vo,	5 00
WHITE—Elements of Theoretical and Descriptive Astronomy.....	12mo,	*2 00

BIOLOGY.

COHNHEIM—Enzymes.....	12mo,	*1 50
DAVENPORT—Statistical Methods with Special Reference to Biological Variation.....	16mo, mor.,	1 50
EFFRONT and PRESCOTT—Enzymes and Their Applications.....	8vo,	3 00
EULER and POPE—General Chemistry of the Enzymes.....	8vo,	*3 00
MAST—Light and Behavior of Organisms.....	8vo,	*2 50
PRESCOTT and WINSLOW—Elements of Water Bacteriology, with Special Reference to Sanitary Water Analysis.....	12mo,	1 50
WARD and WHIPPLE—Freshwater Biology.....	(In Press.)	
WHIPPLE—The Microscopy of Drinking Water.....	8vo,	3 50
WINSLOW—The Systematic Relationship of the Coccaceae.....	Small 8vo,	2 50

CHEMISTRY.

ABDERHALDEN—Physiological Chemistry in Thirty Lectures. (HALL and DEFREN).....	8vo,	*5 00
ABEGG—Theory of Electrolytic Dissociation. (VON ENDE).....	12mo,	*1 25
ALEXEYEFF—General Principles of Organic Syntheses. (MATTHEWS).....	8vo,	3 00
ALLEN—Exercises in General Chemistry, Loose Leaf Laboratory Manual. Oblong 4to, paper,.....		*1 00
Tables for Iron Analysis.....	8vo,	3 00
ARMSBY—Principles of Animal Nutrition.....	8vo,	4 00
ARNOLD—Compendium of Chemistry. (MANDEL).....	Small 8vo,	3 50
ASSOCIATION OF STATE AND NATIONAL FOOD AND DAIRY DEPARTMENTS, Hartford Meeting, 1906.....	8vo,	3 00
Jamestown Meeting, 1907.....	8vo,	3 00
AUSTEN—Notes for Chemical Students.....	12mo,	1 50
BERNADOU—Smokeless Powder.—Nitro-cellulose, and Theory of the Cellulose Molecule.....	12mo,	2 50
BILTZ—Introduction to Inorganic Chemistry. (HALL and PHELAN).....	12mo,	*1 25
Laboratory Methods of Inorganic Chemistry. (HALL and BLANCHARD).....	8vo,	3 00
BINGHAM and WHITE—Laboratory Manual of Inorganic Chemistry.....	12mo,	*1 00
BLANCHARD—Synthetic Inorganic Chemistry.....	12mo,	*1 00
BOTTLER—German and American Varnish Making. (SABIN).....	Small 8vo,	*3 50
BROWNE—Handbook of Sugar Analysis.....	8vo,	*6 00
Sugar Tables for Laboratory Use.....	8vo,	*1 25
BROWNING—Introduction to the Rarer Elements.....	8vo,	*1 50
BRUNSWIG—Explosives. (MUNROE and KIBLER).....	Small 8vo,	*3 00
CLAASSEN—Beet-sugar Manufacture. (HALL and ROLFE).....	8vo,	*3 00
CLASSEN—Quantitative Analysis by Electrolysis. (HALL).....	(In Press.)	

COHN—Indicators and Test-papers.....	12mo.	\$2 00
Tests and Reagents.....	8vo.	3 00
COOPER—Constitutional Analysis by Physico-chemical Methods (Inorganic), (In Press.)		
DANNEEL—Electrochemistry. (MERRIAM).....	12mo.	*1 25
DANNERTH—Methods of Textile Chemistry.....	12mo.	2 00
DUHEM—Thermodynamics and Chemistry. (BURGESS).....	8vo.	4 00
EISSLER—Modern High Explosives.....	8vo.	4 00
EKELEY—Laboratory Manual of Inorganic Chemistry.....	12mo.	*1 00
FLETCHER—Practical Instructions in Quantitative Assaying with the Blow- pipe.....	16mo, mor.,	1 50
FOWLER—Sewage Works Analyses.....	12mo.	2 00
PRESENIUS—Manual of Qualitative Chemical Analysis. (WELLS).....	8vo.	5 00
Manual of Qualitative Chemical Analysis. Part I. Descriptive. (WELLS.).....	8vo.	3 00
Quantitative Chemical Analysis. (COHN.) 2 vols.....	8vo.	12 50
When Sold Separately, Vol. I, \$6. Vol. II, \$8.		
FUERTES—Water and Public Health.....	12mo.	1 50
FULLER—Qualitative Analysis of Medicinal Preparations.....	12mo.	*1 50
FURMAN and PARDOE—Manual of Practical Assaying.....	8vo.	3 00
GETMAN—Exercises in Physical Chemistry.....	12mo.	*2 00
GILL—Gas and Fuel Analysis for Engineers.....	12mo.	1 25
GOOCH—Methods in Chemical Analysis.....	8vo.	*4 00
and BROWNING—Outlines of Qualitative Chemical Analysis. Small 8vo.		*1 25
GROENFELT—Principles of Modern Dairy Practice. (WOLL).....	12mo.	2 00
GROTH—Introduction to Chemical Crystallography. (MARSHALL).....	12mo.	1 25
HAMMARSTEN—Text-book of Physiological Chemistry. (MANDEL).....	8vo.	*4 00
HANAUSEK—Microscopy of Technical Products. (WINTON).....	8vo.	5 00
HASKINS—Organic Chemistry.....	12mo.	*2 00
HERRICK—Denatured or Industrial Alcohol.....	8vo.	*4 00
HINDS—Inorganic Chemistry.....	8vo.	3 00
Laboratory Manual for Students.....	12mo.	*1 00
HOLLEMAN—Laboratory Manual of Organic Chemistry for Beginners. (WALKER.).....	12mo.	*1 00
Text-book of Inorganic Chemistry. (COOPER).....	8vo.	2 50
Text-book of Organic Chemistry. (WALKER AND MOTT).....	8vo.	2 50
(EKELEY) Laboratory Manual to Accompany Holleman's Text-book of Inorganic Chemistry.....	12mo.	*1 00
HOLLEY—Analysis of Paint and Varnish Products.....	Small, 8vo.	*2 50
Lead and Zinc Pigments.....	Small 8vo.	*3 00
HOPKINS—Oil-chemists' Handbook.....	8vo.	3 00
JACKSON—Directions for Laboratory Work in Physiological Chemistry.....	8vo.	1 25
JOHNSON—Rapid Methods for the Chemical Analysis of Special Steels, Steel- making Alloys and Graphite.....	Small 8vo.	3 00
LANDAUER—Spectrum Analysis. (TINGLE).....	8vo.	3 00
LASSAR-COHN—Application of Some General Reactions to Investigations in Organic Chemistry. (TINGLE).....	12mo.	1 00
LEACH—Food Inspection and Analysis.....	8vo.	7 50
LÖB—Electrochemistry of Organic Compounds. (LORENZ).....	8vo.	3 00
LODGE—Notes on Assaying and Metallurgical Laboratory Experiments.....	8vo.	3 00
LOW—Technical Method of Ore Analysis.....	8vo.	3 00
LOWE—Paint for Steel Structures.....	12mo.	1 00
LUNGE—Techno-chemical Analysis. (COHN).....	12mo.	1 00
McKAY and LARSEN—Principles and Practice of Butter-making.....	8vo.	*1 50
MAIRE—Modern Pigments and their Vehicles.....	12mo.	2 00
MANDEL—Handbook for Bio-chemical Laboratory.....	12mo.	1 50
MARTIN—Laboratory Guide to Qualitative Analysis with the Blowpipe.....	12mo.	*0 60
MASON—Examination of Water. (Chemical and Bacteriological).....	12mo.	1 25
Water-supply. (Considered Principally from a Sanitary Standpoint.)	8vo.	4 00
MATHEWSON—First Principles of Chemical Theory.....	8vo.	*1 00
MATTHEWS—Laboratory Manual of Dyeing and Textile Chemistry.....	8vo.	3 50
Textile Fibres.....	8vo.	4 00
MEYER—Determination of Radicles in Carbon Compounds. (TINGLE.) Third Edition.....	12mo.	*1 25
MILLER—Cyanide Process.....	12mo.	1 00
Manual of Assaying.....	12mo.	1 00

MINET—Production of Aluminum and its Industrial Use. (WALDO.)	12mo,	\$2 50
MITTELSTAEDT—Technical Calculations for Sugar Works. (BOURBAKIS.)	12mo,	*1 50
MIXTER—Elementary Text-book of Chemistry	12mo,	1 50
MORGAN—Elements of Physical Chemistry	12mo,	3 00
Physical Chemistry for Electrical Engineers	12mo,	*1 50
MOORE—Experiments in Organic Chemistry	12mo,	*0 50
Outlines of Organic Chemistry	12mo,	*1 50
MORSE—Calculations used in Cane-sugar Factories	16mo, mor,	1 50
MUIR—History of Chemical Theories and Laws	8vo,	*4 00
MULLIKEN—General Method for the Identification of Pure Organic Compounds. Vol. I. Compounds of Carbon with Hydrogen and Oxygen	Large 8vo,	5 00
Vol. II. Nitrogenous Compounds	(In Preparation.)	
Vol. III. The Commercial Dyestuffs	Large 8vo,	5 00
NELSON—Analysis of Drugs and Medicines	12mo,	*3 00
OSTWALD—Conversations on Chemistry. Part One. (RAMSEY.)	12mo,	1 50
Part Two. (TURNBULL.)	12mo,	2 00
Introduction to Chemistry. (HALL and WILLIAMS.)	Small 8vo,	*1 50
OWEN and STANDAGE—Dyeing and Cleaning of Textile Fabrics	12mo,	2 00
PALMER—Practical Test Book of Chemistry	12mo,	*1 00
PAULI—Physical Chemistry in the Service of Medicine. (FISCHER.)	12mo,	*1 25
PICTET—Alkaloids and their Chemical Constitution. (BIDDLE.)	8vo,	5 00
PRESOTT and WINSLOW—Elements of Water Bacteriology, with Special Reference to Sanitary Water Analysis	12mo,	1 50
REISIG—Guide to Piece-Dyeing	8vo,	*25 00
RICHARDS and WOODMAN—Air, Water, and Food from a Sanitary Standpoint	8vo,	2 00
RICKETTS and MILLER—Notes on Assaying	8vo,	3 00
RIDEAL—Disinfection and the Preservation of Food	8vo,	4 00
RIGGS—Elementary Manual for the Chemical Laboratory	8vo,	1 25
ROBINE and LENGLEN—Cyanide Industry. (LE CLERC.)	8vo,	4 00
RUDDIMAN—Incompatibilities in Prescriptions	8vo,	2 00
Whys in Pharmacy	12mo,	1 00
RUER—Elements of Metallography. (MATHEWSON.)	8vo,	*3 00
SABIN—Industrial and Artistic Technology of Paint and Varnish	8vo,	3 00
SALKOWSKI—Physiological and Pathological Chemistry. (Orndorff.)	8vo,	2 50
SCHIMPF—Essentials of Volumetric Analysis	Small 8vo,	*1 50
Manual of Volumetric Analysis	8vo,	5 00
Qualitative Chemical Analysis	8vo,	*1 25
SEAMON—Manual for Assayers and Chemists	Small 8vo,	*2 50
SMITH—Lecture Notes on Chemistry for Dental Students	8vo,	*2 50
SPENCER—Handbook for Cane Sugar Manufacturers	16mo, mor,	3 00
Handbook for Chemists of Beet-sugar Houses	16mo, mor,	3 00
STOCKBRIDGE—Rocks and Soils	8vo,	2 50
STONE—Practical Testing of Gas and Gas Meters	8vo,	3 50
TILLMAN—Descriptive General Chemistry	8vo,	*3 00
Elementary Lessons in Heat	8vo,	*1 50
TREADWELL—Qualitative Analysis. (HALL.)	8vo,	3 00
Quantitative Analysis. (HALL.)	8vo,	4 00
TURNHAURE and RUSSELL—Public Water-supplies	8vo,	5 00
VAN DEVENTER—Physical Chemistry for Beginners. (BOLTWOOD.)	12mo,	1 50
VENABLE—Methods and Devices for Bacterial Treatment of Sewage	8vo,	3 00
WARD and WHIPPLE—Freshwater Biology	(In Press.)	
WARE—Beet-sugar Manufacture and Refining. Vol. I.	8vo,	4 00
Vol. II.	8vo,	5 00
WASHINGTON—Manual of the Chemical Analysis of Rocks	8vo,	2 00
WEAVER—Military Explosives	8vo,	*3 00
WELLS—Laboratory Guide in Qualitative Chemical Analysis	8vo,	1 50
Short Course in Inorganic Qualitative Chemical Analysis for Engineering Students	12mo,	1 50
Text-book of Chemical Arithmetic	12mo,	1 25
WHIPPLE—Microscopy of Drinking-water	8vo,	3 50
WILSON—Chlorination Process	12mo,	1 50
Cyanide Processes	12mo,	1 50
WINTON—Microscopy of Vegetable Foods	8vo,	7 50
ZSIGMONDY—Colloids and the Ultramicroscope. (ALEXANDER.)	Large 12mo,	3 00

CIVIL ENGINEERING.

BRIDGES AND ROOFS, HYDRAULICS, MATERIALS OF ENGINEERING. RAILWAY ENGINEERING.

AMERICAN CIVIL ENGINEERS' POCKET BOOK. (MANSFIELD MERRIMAN, Editor-in-chief.)	16mo, mor.,	\$5 00
BAKER—Engineers' Surveying Instruments	12mo,	3 00
BIXBY—Graphical Computing Table	Paper 19½ × 24½ inches,	0 25
BREED and HOSMER—Principles and Practice of Surveying.		
Vol. I. Elementary Surveying	8vo,	3 00
Vol. II. Higher Surveying	8vo,	2 50
BURR—Ancient and Modern Engineering and the Isthmian Canal	8vo,	*3 50
COMSTOCK—Field Astronomy for Engineers	8vo,	2 50
CORTHELL—Allowable Pressure on Deep Foundations	12mo,	*1 25
CRANDALL—Text-book on Geodesy and Least Squares	8vo,	3 00
DAVIS—Elevation and Stadia Tables	8vo,	1 00
ELLIOTT—Engineering for Land Drainage	12mo,	2 00
PIEBEGER—Treatise on Civil Engineering	8vo,	*5 00
FLEMER—Phototopographic Methods and Instruments	8vo,	5 00
FOLWELL—Sewerage. (Designing and Maintenance.)	8vo,	3 00
PREITAG—Architectural Engineering	8vo,	3 50
HAUCH and RICE—Tables of Quantities for Preliminary Estimates	12mo,	*1 25
HAYFORD—Text-book of Geodetic Astronomy	8vo,	3 00
HERING—Ready Reference Tables (Conversion Factors.)	16mo, mor.,	2 50
HOSMER—Azimuth	16mo, mor.,	1 00
Text-book on Practical Astronomy	8vo,	*2 00
HOWE—Retaining Walls for Earth	12mo,	1 25
IVES—Adjustments of the Engineer's Transit and Level	16mo, bds.,	*0 25
IVES and HILTS—Problems in Surveying, Railroad Surveying and Geodesy	16mo, mor.,	1 50
JOHNSON (J. B.) and SMITH—Theory and Practice of Surveying. Small	8vo,	*3 50
JOHNSON (L. J.)—Statics by Algebraic and Graphic Methods	8vo,	2 00
KINNICUTT, WINSLOW and PRATT—Sewage Disposal	8vo,	*3 00
MAHAN—Descriptive Geometry	8vo,	*1 50
MERRIMAN—Elements of Precise Surveying and Geodesy	8vo,	2 50
MERRIMAN and BROOKS—Handbook for Surveyors	16mo, mor.,	2 00
NUGENT—Plane Surveying	8vo,	3 50
OGDEN—Sewer Construction	8vo,	3 00
Sewer Design	12mo,	2 00
OGDEN and CLEVELAND—Practical Methods of Sewage Disposal for Residences, Hotels, and Institutions	8vo,	*1 50
PARSONS—Disposal of Municipal Refuse	8vo,	2 00
PATTON—Treatise on Civil Engineering	8vo, half leather,	7 50
REED—Topographical Drawing and Sketching	4to,	5 00
RIEMER—Shaft-sinking under Difficult Conditions. (CORNING and PEELE.)	8vo,	3 00
SIEBERT and BIGGIN—Modern Stone-cutting and Masonry	8vo,	1 50
SMITH—Manual of Topographical Drawing. (McMILLAN.)	8vo,	2 50
SOPER—Air and Ventilation of Subways	12mo,	2 50
TRACY—Exercises in Surveying	12mo, mor.,	*1 00
Plane Surveying	16mo, mor.,	3 00
VENABLE—Garbage Crematories in America	8vo,	2 00
Methods and Devices for Bacterial Treatment of Sewage	8vo,	3 00
WAIT—Engineering and Architectural Jurisprudence	8vo,	6 00
Law of Contracts	8vo,	3 00
Law of Operations Preliminary to Construction in Engineering and Architecture	8vo,	5 00
Sheep		5 50
WARREN—Stereotomy—Problems in Stone-cutting	8vo,	2 50
WATERBURY—Vest-Pocket Hand-book of Mathematics for Engineers	2½ × 5½ inches, mor.,	*1 00
Enlarged Edition, Including Tables	mor.,	*1 50
WEBB—Problems in the Use and Adjustment of Engineering Instruments	16mo, mor.,	1 25
WILSON—Topographic, Trigonometric and Geodetic Surveying	8vo,	3 50

BRIDGES AND ROOFS.

BISHOP—Structural Details of Hip and Valley Rafters... Oblong large 8vo.	*\$1 75
BOLLER—Practical Treatise on the Construction of Iron Highway Bridges	8vo, 2 00
Thames River Bridge..... Oblong paper,	*5 00
BURR and FALK—Design and Construction of Metallic Bridges.....	8vo, 5 00
Influence Lines for Bridge and Roof Computations.....	8vo, 3 00
DU BOIS—Mechanics of Engineering. Vol. II.....	Small 4to, 10 00
FOSTER—Treatise on Wooden Trestle Bridges.....	4to, 5 00
FOWLER—Ordinary Foundations.....	8vo, 3 50
GREENE—Arches in Wood, Iron, and Stone.....	8vo, 2 50
Bridge Trusses.....	8vo, 2 50
Roof Trusses.....	8vo, 1 25
GRIMM—Secondary Stresses in Bridge Trusses.....	8vo, 2 50
HELLER—Stresses in Structures and the Accompanying Deformations.....	8vo, 3 00
HOWE—Design of Simple Roof-trusses in Wood and Steel.....	8vo, 2 00
Symmetrical Masonry Arches.....	8vo, 2 50
Treatise on Arches.....	8vo, 4 00
HUDSON—Deflections and Statically Indeterminate Stresses.....	Small 4to, *3 50
Plate Girder Design.....	8vo, *1 50
JACOBY—Structural Details, or Elements of Design in Heavy Framing.....	8vo, *2 25
JOHNSON, BRYAN and TURNEAURE—Theory and Practice in the Designing of Modern Framed Structures. New Edition.	
Part I. Stresses in Simple Structures.....	8vo, *3 00
Part II. Statically Indeterminate Structures and Secondary Stresses	8vo, *4 00
MERRIMAN and JACOBY—Text-book on Roofs and Bridges:	
Part I. Stresses in Simple Trusses.....	8vo, 2 50
Part II. Graphic Statics.....	8vo, 2 50
Part III. Bridge Design.....	8vo, 2 50
Part IV. Higher Structures.....	8vo, 2 50
RICKER—Design and Construction of Roofs.....	8vo, 5 00
SONDERICKER—Graphic Statics, with Applications to Trusses, Beams, and Arches.....	8vo, *2 00
WADDELL—De Pontibus, Pocket-book for Bridge Engineers....	16mo, mor., 2 00
Specifications for Steel Bridges.....	12mo, *0 50

HYDRAULICS.

BARNES—Ice Formation.....	8vo, 3 00
BAZIN—Experiments upon the Contraction of the Liquid Vein Issuing from an Orifice. (TRAUTWINE.).....	8vo, 2 00
BOVEY—Treatise on Hydraulics.....	8vo, 5 00
CHURCH—Diagrams of Mean Velocity of Water in Open Channels.	Oblong 4to, paper, 1 50
Hydraulic Motors.....	8vo, 2 00
Mechanics of Fluids (Being Part IV of Mechanics of Engineering) ..	8vo, 3 00
COFFIN—Graphical Solution of Hydraulic Problems.....	16mo, mor., 2 50
FLATHER—Dynamometers, and the Measurement of Power.....	12mo, 3 00
FOLWELL—Water-supply Engineering.....	8vo, 4 00
FRIZELL—Water-power.....	8vo, 5 00
FUERTES—Water and Public Health.....	12mo, 1 50
FULLER—Domestic Water Supplies for the Farm.....	8vo, *1 50
GANGUILLET and KUTTER—General Formula for the Uniform Flow of Water in Rivers and Other Channels. (HERING and TRAUTWINE.)...	8vo, 4 00
HAZEN—Clean Water and How to Get It.....	Small 8vo, 1 50
Filtration of Public Water-supplies.....	8vo, 3 00
HAZELHURST—Towers and Tanks for Water-works.....	8vo, 2 50
HERSCHEL—115 Experiments on the Carrying Capacity of Large, Riveted, Metal Conduits.....	8vo, 2 00
HOYT and GROVER—River Discharge.....	8vo, 2 00
HUBBARD and KIERSTED—Water-works Management and Maintenance.....	8vo, 4 00
LYNDON—Development and Electrical Distribution of Water Power.....	8vo, *3 00
MASON—Water-supply. (Considered Principally from a Sanitary Stand- point.).....	8vo, 4 00
MERRIMAN—Elements of Hydraulics.....	12mo, *1 00
Treatise on Hydraulics. 9th Edition, Rewritten.....	8vo, *4 00

MOLITOR—Hydraulics of Rivers, Weirs and Sluices.....	8vo,*	\$2 00
MORRISON and BRODIE—High Masonry Dam Design.....	8vo,	*1 50
SCHUYLER—Reservoirs for Irrigation, Water-power, and Domestic Water supply. Second Edition, Revised and Enlarged.....	Large 8vo,	6 00
THOMAS and WATT—Improvement of Rivers.....	4to,	*6 00
TURNHAURE and RUSSELL—Public Water-supplies.....	8vo,	5 00
WEGMANN—Design and Construction of Dams. 6th Ed., enlarged.....	4to,	*6 00
Water Supply of the City of New York from 1658 to 1895.....	4to,	10 00
WHIPPLE—Value of Pure Water.....	Small 8vo,	1 00
WILLIAMS and HAZEN—Hydraulic Tables.....	8vo,	1 50
WILSON—Irrigation Engineering.....	8vo,	4 00
WOOD—Turbines.....	8vo,	2 50

MATERIALS OF ENGINEERING.

BAKER—Roads and Pavements.....	8vo,	5 00
Treatise on Masonry Construction.....	8vo,	5 00
BLACK—United States Public Works.....	Oblong 4to,	5 00
BLANCHARD—Bituminous Surfaces and Bituminous Pavements. (<i>In Preparation.</i>)		
and DROWNE—Highway Engineering, as Presented at the Second International Road Congress, Brussels, 1910.....	8vo,	*2 00
Text-book on Highway Engineering.....	(<i>In Press.</i>)	
BOTTLER—German and American Varnish Making. (SABIN.)... Small 8vo,		*3 50
BURR—Elasticity and Resistance of the Materials of Engineering.....	8vo,	7 50
BYRNE—Highway Construction.....	8vo,	5 00
Inspection of the Materials and Workmanship Employed in Construction.	16mo,	3 00
CHURCH—Mechanics of Engineering.....	8vo,	6 00
Mechanics of Solids (Being Parts I, II, III of Mechanics of Engineering).....	8vo,	4 50
Mechanics of Fluids (Being Part IV of Mechanics of Engineering) 8vo,		3 00
DU BOIS—Mechanics of Engineering:		
Vol. I. Kinematics, Statics, Kinetics..... Small 4to,		7 50
Vol. II. The Stresses in Framed Structures, Strength of Materials and Theory of Flexures..... Small 4to,		10 00
ECKEL—Building Stones and Clays.....	8vo,	*3 00
Cements, Limes, and Plasters.....	8vo,	*6 00
FOWLER—Ordinary Foundations.....	8vo,	3 50
FULLER and JOHNSTON—Applied Mechanics:		
Vol. I. Theory of Statics and Kinetics..... (<i>In Press.</i>)		
Vol. II. Strength of Materials..... (<i>In Preparation.</i>)		
GREENE—Structural Mechanics.....	8vo,	*2 50
HOLLEY—Analysis of Paint and Varnish Products..... Small 8vo,		*2 50
Lead and Zinc Pigments..... Small 8vo,		*3 00
HUBBARD—Dust Preventives and Road Binders.....	8vo,	*3 00
JOHNSON (J. B.)—Materials of Construction..... Large 8vo,		6 00
KEEP—Cast Iron.....	8vo,	2 50
KING—Elements of the Mechanics of Materials and of Power of Transmission.....	8vo,	*2 50
LANZA—Applied Mechanics.....	8vo,	7 50
LOWE—Paints for Steel Structures.....	12mo,	1 00
MAIRE—Modern Pigments and their Vehicles.....	12mo,	2 00
MAURER—Technical Mechanics.....	8vo,	4 00
MERRILL—Stones for Building and Decoration.....	8vo,	5 00
MERRIMAN—Mechanics of Materials.....	8vo,	5 00
Strength of Materials.....	12mo,	*1 00
METCALF—Steel. A Manual for Steel-users.....	12mo,	2 00
MORRISON—Highway Engineering.....	8vo,	2 50
MURDOCK—Strength of Materials.....	12mo,	*2 00
PATTON—Practical Treatise on Foundations.....	8vo,	5 00
RICE—Concrete Block Manufacture.....	8vo,	2 00
RICHARDSON—Modern Asphalt Pavement.....	8vo,	3 00
RICHEY—Building Foreman's Pocket Book and Ready Reference. 16mo. mor.,		5 00
Cement Workers' and Plasterers' Edition (Building Mechanics' Ready Reference Series).....	16mo. mor.,	*1 50
Handbook for Superintendents of Construction.....	16mo. mor.,	4 00
Stone and Brick Masons' Edition (Building Mechanics' Ready Reference Series).....	16mo. mor.,	*1 50

RIES—Building Stones and Clay Products.....	8vo.	*\$3 00
Clays: Their Occurrence, Properties, and Uses.....	8vo.	*5 00
and LEIGHTON—History of the Clay-working Industry of the United States.....	8vo.	*2 50
SABIN—Industrial and Artistic Technology of Paint and Varnish.....	8vo.	3 00
SMITH—Strength of Material.....	12mo.	*1 25
SNOW—Principal Species of Wood.....	8vo.	3 50
SPALDING—Hydraulic Cement.....	12mo.	2 00
Text-book on Road and Pavements.....	12mo.	*2 00
TAYLOR and THOMPSON—Concrete Costs.....	Small 8vo.	*5 00
Extracts on Reinforced Concrete Design.....	8vo.	*2 00
Treatise on Concrete, Plain and Reinforced.....	8vo.	5 00
THURSTON—Materials of Engineering. In Three Parts.....	8vo.	8 00
Part I. Non-metallic Materials of Engineering and Metallurgy.....	8vo.	2 00
Part II. Iron and Steel.....	8vo.	3 50
Part III. A Treatise on Brasses, Bronzes, and Other Alloys and their Constituents.....	8vo.	2 50
TILLSON—Street Pavements and Paving Materials.....	8vo.	*4 00
TURNEAURE and MAURER—Principles of Reinforced Concrete Construction.....	8vo.	3 50
WATERBURY—Cement Laboratory Manual.....	12mo.	1 00
Laboratory Manual for Testing Materials of Construction.....	12mo.	*1 50
WOOD (DE V.) Treatise on the Resistance of Materials, and an Appendix on the Preservation of Timber.....	8vo.	2 00
(M. P.)—Rustless Coatings: Corrosion and Electrolysis of Iron and Steel.....	8vo.	4 00

RAILWAY ENGINEERING.

BERG—Buildings and Structures of American Railroads.....	4to.	5 00
BROOKS—Handbook of Street Railroad Location.....	16mo. mor.	1 50
BURT—Railway Station Service.....	12mo.	*2 00
BUTTS—Civil Engineer's Field-book.....	16mo. mor.	2 50
CRANDALL—Railway and Other Earthwork Tables.....	8vo.	1 50
and BARNES—Railroad Surveying.....	16mo. mor.	2 00
CROCKETT—Methods for Earthwork Computations.....	8vo.	*1 50
DREDGE—History of the Pennsylvania Railroad. (1879).....	Paper.	5 00
FISH—Earthwork Haul and Overhaul.....	(In Press.)	
FISHER—Table of Cubic Yards.....	Cardboard.	0 25
GILBERT, WIGHTMAN and SAUNDERS—Subways and Tunnels of New York.....	8vo.	*4 00
GODWIN—Railroad Engineers' Field-book and Explorers' Guide.....	16mo. mor.	2 50
HUDSON—Tables for Calculating the Cubic Contents of Excavations and Embankments.....	8vo.	1 00
IVES and HILTS—Problems in Surveying, Railroad Surveying and Geodesy.....	16mo. mor.	1 50
MOLITOR and BEARD—Manual for Resident Engineers.....	16mo.	1 00
NAGLE—Field Manual for Railroad Engineers.....	16mo. mor.	3 00
ORROCK—Railroad Structures and Estimates.....	8vo.	*3 00
PHILBRICK—Field Manual for Engineers.....	16mo. mor.	3 00
RAYMOND—Elements of Railroad Engineering.....	8vo.	3 50
Railroad Engineer's Field Book.....	(In Preparation.)	
Railroad Field Geometry.....	16mo. mor.	2 00
ROBERTS—Track Formulæ and Tables.....	16mo. mor.	3 00
SEARLES—Field Engineering.....	16mo. mor.	3 00
Railroad Spiral.....	16mo. mor.	1 50
TAYLOR—Prismoidal Formulæ and Earthwork.....	8vo.	1 50
WEBB—Economics of Railroad Construction.....	Small 8vo.	2 50
Railroad Construction.....	16mo. mor.	5 00
WELLINGTON—Economic Theory of the Location of Railways.....	Small 8vo.	5 00
WILSON—Elements of Railroad-Track and Construction.....	12mo.	2 00

DRAWING.

BARR and WOOD—Kinematics of Machinery.....	8vo,	\$2 50
BARTLETT—Mechanical Drawing. Third Edition.....	8vo,	*3 00
" " Abridgment of the Second Edition.....	8vo,	*1 50
and JOHNSON—Engineering Descriptive Geometry.....	8vo,	*1 50
BISHOP—Structural Details of Hip and Valley Rafters....	Oblong large 8vo,	*1 75
BLESSING and DARLING—Descriptive Geometry.....	8vo,	*1 50
Elements of Drawing.....	8vo,	*1 50
COOLIDGE—Manual of Drawing.....	8vo, paper,	1 00
and FREEMAN—Elements of General Drafting for Mechanical Engineers	Oblong 4to,	2 50
DURLEY—Kinematics of Machines.....	8vo,	4 00
EMCH—Introduction to Projective Geometry and its Application.....	8vo,	2 50
FRENCH and IVES—Stereotomy.....	8vo,	2 50
HILL—Text-book on Shades and Shadows, and Perspective.....	8vo,	2 00
JAMISON—Advanced Mechanical Drawing.....	8vo,	2 00
Elements of Mechanical Drawing.....	8vo,	2 50
JONES—Machine Design:		
Part I. Kinematics of Machinery.....	8vo,	1 50
Part II. Form, Strength, and Proportions of Parts.....	8vo,	3 00
KIMBALL and BARR—Machine Design.....	8vo,	*3 00
MACCORD—Elements of Descriptive Geometry.....	8vo,	3 00
Kinematics; or, Practical Mechanism.....	8vo,	5 00
Mechanical Drawing.....	4to,	4 00
Velocity Diagrams.....	8vo,	1 50
MCLEOD—Descriptive Geometry.....	Small 8vo,	1 50
MAHAN—Descriptive Geometry and Stone-cutting.....	8vo,	*1 50
Industrial Drawing. (THOMPSON.).....	8vo,	3 50
MOYER—Descriptive Geometry.....	8vo,	2 00
REED—Topographical Drawing and Sketching.....	4to,	5 00
REID—Mechanical Drawing. (Elementary and Advanced.).....	8vo,	*2 00
Text-book of Mechanical Drawing and Elementary Machine Design.....	8vo,	3 00
ROBINSON—Principles of Mechanism.....	8vo,	3 00
SCHWAMB and MERRILL—Elements of Mechanism.....	8vo,	3 00
SMITH (A. W.) and MARX—Machine Design.....	8vo,	3 00
(R. S.)—Manual of Topographical Drawing. (McMILLAN.).....	8vo,	2 50
TITSWORTH—Elements of Mechanical Drawing.....	Oblong large 8vo,	*1 25
WARREN—Elements of Descriptive Geometry, Shades, and Perspective.....	8vo,	3 50
Elements of Machine Construction and Drawing.....	8vo,	7 50
Elements of Plane and Solid Free-hand Geometrical Drawing.....	12mo,	1 00
General Problems of Shades and Shadows.....	8vo,	3 00
Manual of Elementary Problems in the Linear Perspective of Forms and		
Shadows.....	12mo,	1 00
Manual of Elementary Projection Drawing.....	12mo,	1 50
Plane Problems in Elementary Geometry.....	12mo,	1 25
WEISBACH—Kinematics and Power of Transmission. (HERRMANN and		
KLEIN.).....	8vo,	5 00
WILSON (H. M.)—Topographic, Trigonometric and Geodetic Surveying.....	8vo,	3 50
(V. T.) Descriptive Geometry.....	8vo,	*1 50
Free-hand Lettering.....	8vo,	1 00
Free-hand Perspective.....	8vo,	2 50
WOOLF—Elementary Course in Descriptive Geometry.....	Large 8vo,	3 00

ELECTRICITY AND PHYSICS.

ABEGG—Theory of Electrolytic Dissociation. (VON ENDE.).....	12mo,	*1 25
ANDREWS—Hand-book for Street Railway Engineers....	3×5 inches, mor.,	1 25
ANTHONY and BALL—Lecture-notes on the Theory of Electrical Measure-		
ments.....	12mo,	1 00
and BRACKETT—Text-book of Physics. (MAGIE.).....	Small 8vo,	3 00
BENJAMIN—History of Electricity.....	8vo,	3 00
BETTS—Lead Refining and Electrolysis.....	8vo,	4 00
BURGESS and LE CHATELIER—Measurement of High Temperatures. Third		
Edition.....	8vo,	*4 00
CLASSEN—Quantitative Analysis by Electrolysis. (HALL.).....	(In Press.)	

COLLINS—Manual of Wireless Telegraphy and Telephony.....	12mo,	*\$1 50
CREHORE and SQUIER—Polarizing Photo-chronograph.....	8vo,	3 00
DANNEEL—Electrochemistry. (MERRIAM.).....	12mo,	*1 25
DAWSON—"Engineering" and Electric Traction Pocket-book.....	16mo, mor.,	5 00
DOLEZALEK—Theory of the Lead Accumulator (Storage Battery). (VON ENDE.).....	12mo,	2 50
DUHEM—Thermodynamics and Chemistry. (BURGESS.).....	8vo,	4 00
FLATHER—Dynamometers, and the Measurement of Power.....	12mo,	3 00
GETMAN—Introduction to Physical Science.....	12mo,	*1 50
GILBERT—De Magnete. (MOTTELAY.).....	8vo,	2 50
HANCHETT—Alternating Currents.....	12mo,	*1 00
HERING—Ready Reference Tables (Conversion Factors).....	16mo, mor.,	2 50
HOBART and ELLIS—High-speed Dynamo Electric Machinery.....	8vo,	*6 00
HOLMAN—Precision of Measurements.....	8vo,	2 00
Telescope-Mirror-scale Method, Adjustments, and Tests.....	Large 8vo,	0 75
HUTCHINSON—High-Efficiency Electrical Illuminants and Illumination.	Small 8vo,	*2 50
JONES—Electric Ignition for Combustion Motors.....	8vo,	*4 00
KARAPETOFF—Experimental Electrical Engineering:		
Vol. I.....	8vo,	*3 50
Vol. II.....	8vo,	*2 50
KINZBRUNNER—Testing of Continuous-current Machines.....	8vo,	2 00
KOCH—Mathematics of Applied Electricity.....	Small 8vo,	*3 00
LANDAUER—Spectrum Analysis. (TINGLE.).....	8vo,	3 00
LAUFFER—Electrical Injuries.....	16mo,	*0 50
LÖB—Electrochemistry of Organic Compounds. (LORENZ.).....	8vo,	3 00
LYNDON—Development and Electrical Distribution of Water Power.....	8vo,	*3 00
LYONS—Treatise on Electromagnetic Phenomena. Vols. I and II, 8vo, each.....		*6 00
MARTIN—Measurement of Induction Shocks.....	12mo,	*1 25
MICHIE—Elements of Wave Motion Relating to Sound and Light.....	8vo,	*4 00
MORGAN—Physical Chemistry for Electrical Engineers.....	12mo,	*1 50
NORMIS—Introduction to the Study of Electrical Engineering.....	8vo,	*2 50
PARSHALL and HOBART—Electric Machine Design.....	4to, half mor.,	*12 50
REAGAN—Locomotives: Simple, Compound, and Electric.....	Small 8vo,	3 50
RODENHAUSER and SCHOENAWA—Electric Furnaces in the Iron and Steel Industry (VOM BAUR.).....		(In Press.)
ROSENBERG—Electrical Engineering. (HALDANE GEE—KINZBRUNNER.).....	8vo,	*2 00
RYAN—Design of Electrical Machinery:		
Vol. I. Direct Current Dynamos.....	8vo,	*1 50
Vol. II. Alternating Current Transformers.....	8vo,	*1 50
Vol. III. Alternators, Synchronous Motors, and Rotary Converters.	8vo,	*1 50
SCHAPPER—Laboratory Guide for Students in Physical Chemistry.....	12mo,	1 00
TILLMAN—Elementary Lessons in Heat.....	8vo,	*1 50
TIMBIE—Answers to Problems in Elements of Electricity.....	12mo, Paper,	*0 25
Elements of Electricity.....	Small 8vo,	*2 00
Essentials of Electricity.....	12mo,	*1 25
TORY and PITCHER—Manual of Laboratory Physics.....	Small 8vo,	2 00
ULKE—Modern Electrolytic Copper Refining.....	8vo,	3 00
WATERS—Commercial Dynamo Design.....	8vo,	*2 00

LAW.

BRENNAN—Hand-book of Useful Legal Information for Business Men.	16mo, mor.,	*5 00
DAVIS—Elements of Law.....	8vo,	*2 50
Treatise on the Military Law of United States.....	8vo,	*7 00
DUDLEY—Military Law and the Procedure of Courts-martial.....	Small 8vo,	*2 50
MANUAL FOR COURTS MARTIAL.....	16mo, mor.,	1 50
WAIT—Engineering and Architectural Jurisprudence.....	8vo,	6 00
Sheep.....		6 50
Law of Contracts.....	8vo,	3 00
Law of Operations Preliminary to Construction in Engineering and Architecture.....	8vo,	5 00
Sheep.....		5 50

MATHEMATICS.

BAKER—Elliptic Functions.	8vo,	\$1 50
BRIGGS—Elements of Plane Analytic Geometry. (BÔCHER.)	12mo,	1 00
BUCHANAN—Plane and Spherical Trigonometry.	8vo,	*1 00
BYERLY—Harmonic Functions.	8vo,	1 00
CHANDLER—Elements of the Infinitesimal Calculus.	12mo,	2 00
COFFIN—Vector Analysis.	12mo,	*2 50
COMPTON—Manual of Logarithmic Computations.	12mo,	1 50
DICKSON—College Algebra.	Small 8vo,	*1 50
Introduction to the Theory of Algebraic Equations.	Small 8vo,	*1 25
EMCH—Introduction to Projective Geometry and its Application.	8vo,	2 50
FISKE—Functions of a Complex Variable.	8vo,	1 00
HALSTED—Elementary Synthetic Geometry.	8vo,	1 50
Elements of Geometry.	8vo,	1 75
Rational Geometry.	12mo,	*1 50
Synthetic Projective Geometry.	8vo,	1 00
HANCOCK—Lectures on the Theory of Elliptic Functions.	8vo,	*5 00
HYDE—Grassmann's Space Analysis.	8vo,	1 00
JOHNSON (J. B.) Three-place Logarithmic Tables: Vest-pocket size, paper.		*0 15
100 copies.		*5 00
Mounted on heavy cardboard, 8×10 inches.		*0 25
10 copies.		*2 00
(W. W.) Abridged Editions of Differential and Integral Calculus.		
Small 8vo, 1 vol.,		2 50
Curve Tracing in Cartesian Co-ordinates.	12mo,	1 00
Differential Equations.	8vo,	1 00
Elementary Treatise on Differential Calculus.	Small 8vo,	1 50
Elementary Treatise on the Integral Calculus.	Small 8vo,	1 50
Theoretical Mechanics.	12mo,	*3 00
Theory of Errors and the Method of Least Squares.	12mo,	1 50
Treatise on Differential Calculus.	Small 8vo,	3 00
Treatise on the Integral Calculus.	Small 8vo,	3 00
Treatise on Ordinary and Partial Differential Equations.	Small 8vo,	3 50
KARAPETOFF—Engineering Applications of Higher Mathematics:		
Part I. Problems on Machine Design.	Small 8vo,	*0 75
KOCH—Mathematics of Applied Electricity.	Small 8vo,	*3 00
LAPLACE—Philosophical Essay on Probabilities. (TRUSCOTT and EMORY.)		
12mo,		2 00
LE MESSURIER—Key to Professor W. W. Johnson's Differential Equations.		
Small 8vo,		*1 75
LUDLOW—Logarithmic and Trigonometric Tables.	8vo,	*1 00
and BASS—Elements of Trigonometry and Logarithmic and Other		
Tables.	8vo,	*3 00
Trigonometry and Tables published separately.	Each,	*2 00
MACFARLANE—Vector Analysis and Quaternions.	8vo,	1 00
MCMAHON—Hyperbolic Functions.	8vo,	1 00
MANNING—Irrational Numbers and their Representation by Sequences and		
Series.	12mo,	1 25
MARSH—Industrial Mathematics.	Small 8vo,	*2 00
MATHEMATICAL MONOGRAPHS. Edited by MANSFIELD MERRIMAN and		
ROBERT S. WOODWARD.	Octavo, each,	1 00
No. 1. History of Modern Mathematics, by DAVID EUGENE SMITH.		
No. 2. Synthetic Projective Geometry, by GEORGE BRUCE HALSTED.		
No. 3. Determinants, by LAENAS GIFFORD WELD.		
No. 4. Hyperbolic Functions, by JAMES MCMAHON.		
No. 5. Harmonic Functions, by WILLIAM E. BYERLY.		
No. 6. Grassmann's Space Analysis, by EDWARD W. HYDE.		
No. 7. Probability and Theory of Errors, by ROBERT S. WOODWARD.		
No. 8. Vector Analysis and Quaternions, by ALEXANDER MACFARLANE.		
No. 9. Differential Equations, by WILLIAM WOOLSEY JOHNSON.		
No. 10. The Solution of Equations, by MANSFIELD MERRIMAN.		
No. 11. Functions of a Complex Variable, by THOMAS S. FISKE.		
MAURER—Technical Mechanics.	8vo,	4 00
MERRIMAN—Method of Least Squares.	8vo,	2 00
Solution of Equations.	8vo,	1 00
MORITZ—Elements of Plane Trigonometry.	8vo,	*2 00
High School Edition.	Small 8vo,	*1 00

RICE and JOHNSON—Differential and Integral Calculus. 2 vols. in one.	
	Small 8vo, \$1 50
Elementary Treatise on the Differential Calculus.....	Small 8vo, 3 00
SMITH—History of Modern Mathematics.....	8vo, 1 00
VEBLEN and LENNES—Introduction to the Real Infinitesimal Analysis of One Variable.....	8vo, *2 00
WATERBURY—Vest Pocket Hand-book of Mathematics for Engineers.	
	2½ × 5½ inches, mor., *1 00
Enlarged Edition, Including Tables.....	mor., *1 50
WELD—Determinants.....	8vo, 1 00
WOOD—Elements of Co-ordinate Geometry.....	8vo, 2 00
WOODWARD—Probability and Theory of Errors.....	8vo, 1 00

MECHANICAL ENGINEERING.

MATERIALS OF ENGINEERING, STEAM-ENGINES AND BOILERS.

BACON—Forge Practice.....	12mo, 1 50
BALDWIN—Steam Heating for Buildings.....	12mo, 2 50
BARR and WOOD—Kinematics of Machinery.....	8vo, 2 50
BARTLETT—Mechanical Drawing. Third Edition.....	8vo, 3 00
	Abridgment of the Second Edition... 8vo, *1 50
BURR—Ancient and Modern Engineering and the Isthmian Canal.....	8vo, *3 50
CARPENTER—Heating and Ventilating Buildings.....	8vo, 4 00
and DIEDERICHs—Experimental Engineering.....	8vo, *6 00
CLERK—The Gas, Petrol and Oil Engine.....	8vo, *4 00
COMPTON—First Lessons in Metal Working.....	12mo, 1 50
and DE GROODT—Speed Lathe.....	12mo, 1 50
COOLIDGE—Manual of Drawing.....	8vo, paper, 1 00
and FREEMAN—Elements of General Drafting for Mechanical Engineers.....	Oblong 4to, 2 50
CROMWELL—Treatise on Belts and Pulleys.....	12mo, 1 50
	Treatise on Toothed Gearing..... 12mo, 1 50
DINGEY—Machinery Pattern Making.....	12mo, 2 00
DURLEY—Kinematics of Machines.....	8vo, 4 00
FLANDERS—Gear-cutting Machinery.....	Small 8vo, 3 00
FLATHER—Dynamometers and the Measurement of Power.....	12mo, 3 00
	Rope Driving..... 12mo, 2 00
FULLER and JOHNSTON—Applied Mechanics:	
Vol. I. Theory of Statics and Kinetics.....	(In Press.)
Vol. II. Strength of Materials.....	(In Preparation.)
GILL—Gas and Fuel Analysis for Engineers.....	12mo, 1 25
GOSS—Locomotive Sparks.....	8vo, 2 00
GREENE—Elements of Heating and Ventilation.....	8vo, *2 50
	Pumping Machinery..... 8vo, *4 00
HERING—Ready Reference Tables (Conversion Factors).....	16mo, mor., 2 50
HOBART and ELLIS—High Speed Dynamo Electric Machinery.....	8vo, *6 00
HUTTON—Gas Engine.....	8vo, 5 00
JAMISON—Advanced Mechanical Drawing.....	8vo, 2 00
	Elements of Mechanical Drawing..... 8vo, 2 50
JONES—Gas Engine.....	8vo, 4 00
	Machine Design:
Part I. Kinematics of Machinery.....	8vo, 1 50
Part II. Form, Strength, and Proportions of Parts.....	8vo, 3 00
KAUP—Machine Shop Practice.....	Small 8vo, *1 25
KENT—Mechanical Engineers' Pocket-Book.....	16mo, mor., *5 00
KERR—Power and Power Transmission.....	8vo, 2 00
KIMBALL and BARR—Machine Design.....	8vo, *3 00
KING—Elements of the Mechanics of Materials and of Power of Transmission.....	8vo, *2 50
LANZA—Dynamics of Machinery.....	8vo, *2 50
LEONARD—Machine Shop Tools and Methods.....	8vo, 4 00
LEVIN—Modern Gas Engine and the Gas Producer.....	8vo, *4 00
LORENZ—Modern Refrigerating Machinery. (POPE, HAVEN, and DEAN.)	
	8vo, *4 00

MACCORD—Kinematics; or, Practical Mechanism.....	8vo,	\$5 00
Mechanical Drawing.....	4to,	4 00
Velocity Diagrams.....	8vo,	1 50
MACFARLAND—Standard Reduction Factors for Gases.....	8vo,	1 50
MAHAN—Industrial Drawing. (THOMPSON.).....	8vo,	3 50
MEHRTENS—Gas Engine Theory and Design.....	Small 8vo,	2 50
OVERG—Handbook of Small Tools.....	Small 8vo,	2 50
PARSHALL and HOBART—Electric Machine Design... ..	Small 4to, half leather,	*12 50
PEELE—Compressed Air Plant. Second Edition, Revised and Enlarged.....	8vo,	*3 50
POOLE—Calorific Power of Fuels.....	8vo,	3 00
PORTER—Engineering Reminiscences, 1855 to 1882.....	8vo,	*3 00
REID—Mechanical Drawing. (Elementary and Advanced.).....	8vo,	*2 00
Text-book of Mechanical Drawing and Elementary Machine Design.....	8vo,	3 00
RICHARDS—Compressed Air.....	12mo,	1 50
ROBINSON—Principles of Mechanism.....	8vo,	3 00
SCHWAMB and MERRILL—Elements of Mechanism.....	8vo,	[3 00
SMITH (O.)—Press-working of Metals.....	8vo,	3 00
(A. W.) and MARX—Machine Design.....	8vo,	3 00
SOREL—Carbureting and Combustion in Alcohol Engines. (WOODWARD and PRESTON.).....	Small 8vo,	3 00
STONE—Practical Testing of Gas and Gas Meters.....	8vo,	3 50
THURSTON—Animal as a Machine and Prime Motor, and the Laws of Energetics.....	12mo,	1 00
Treatise on Friction and Lost Work in Machinery and Mill Work.....	8vo,	3 00
TILLSON—Complete Automobile Instructor.....	16mo,	*1 50
TITSWORTH—Elements of Mechanical Drawing.....	Oblong 8vo,	*1 25
WARREN—Elements of Machine Construction and Drawing.....	8vo,	7 50
WATERBURY—Vest Pocket Hand-book of Mathematics for Engineers.....	2½ × 5½ inches, mor.,	*1 00
Enlarged Edition, Including Tables.....	mor.,	*1 50
WEISBACH—Kinematics and the Power of Transmission. (HERRMANN—KLEIN.).....	8vo,	5 00
Machinery of Transmission and Governors. (HERRMANN—KLEIN.).....	8vo,	5 00
WOOD—Turbines.....	8vo,	2 50

MATERIALS OF ENGINEERING.

BOTTLER—German and American Varnish Making. (SABIN.)... ..	Small 8vo,	*3 50
BURR—Elasticity and Resistance of the Materials of Engineering.....	8vo,	7 50
CHURCH—Mechanics of Engineering.....	8vo,	6 00
Mechanics of Solids (Being Parts I, II, III of Mechanics of Engineering).....	8vo,	4 50
FULLER and JOHNSTON—Applied Mechanics:		
Vol. I. Theory of Statics and Kinetics.....	(In Press.)	
Vol. II. Strength of Materials.....	(In Preparation.)	
GREENE—Structural Mechanics.....	8vo,	*2 50
HOLLEY—Analysis of Paint and Varnish Products.....	Small 8vo,	*2 50
Lead and Zinc Pigments.....	Small 8vo,	*3 00
JOHNSON (C. M.)—Rapid Methods for the Chemical Analysis of Special Steels, Steel-making Alloys and Graphite.....	Small 8vo,	3 00
(J. B.) Materials of Construction.....	8vo,	6 00
KEEP—Cast Iron.....	8vo,	2 50
KING—Elements of the Mechanics of Materials and of Power of Transmission.....	8vo,	*2 50
LANZA—Applied Mechanics.....	8vo,	7 50
LOWE—Paints for Steel Structures.....	12mo,	1 00
MAIRE—Modern Pigments and their Vehicles.....	12mo,	2 00
MARTIN—Text-Book of Mechanics:		
Vol. I. Statics.....	12mo,	*1 25
Vol. II. Kinematics and Kinetics.....	12mo,	*1 50
Vol. III. Mechanics of Materials.....	12mo,	*1 50
Vol. IV. Applied Statics.....	12mo,	*1 50
MAURER—Technical Mechanics.....	8vo,	4 00
MERRIMAN—Mechanics of Materials.....	8vo,	5 00
Strength of Materials.....	12mo,	*1 00
METCALF—Steel. A Manual for Steel-users.....	12mo,	2 00
MURDOCK—Strength of Materials.....	12mo,	*2 00

SARIN—Industrial and Artistic Technology of Paint and Varnish.....	8vo,	\$3 00
SMITH (A. W.)—Materials of Machines.....	12mo,	1 00
(H. E.)—Strength of Material.....	12mo,	*1 25
THURSTON—Materials of Engineering.....	3 vols., 8vo,	8 00
Part I. Non-metallic Materials of Engineering.....	8vo,	2 00
Part II. Iron and Steel.....	8vo,	3 50
Part III. A Treatise on Brasses, Bronzes, and Other Alloys and their Constituents.....	8vo,	2 50
WATERBURY—Laboratory Manual for Testing Materials of Construction.....	12mo,	*1 50
WOOD (DE V.)—Elements of Analytical Mechanics.....	8vo,	3 00
Treatise on the Resistance of Materials and an Appendix on the Preser- vation of Timber.....	8vo,	2 00
(M. P.) Rustless Coatings. Corrosion and Electrolysis of Iron and Steel.....	8vo,	4 00

STEAM-ENGINES AND BOILERS.

ABRAHAM—Steam Economy in the Sugar Factory. (BAYLE.)... (<i>In Press.</i>)		
BERRY—Temperature-entropy Diagram. Third Edition Revised and En- larged.....	12mo,	2 50
CARNOT—Reflections on the Motive Power of Heat. (THURSTON.)...	12mo,	1 50
CHASE—Art of Pattern Making.....	12mo,	2 50
CREIGHTON—Steam-engine and other Heat Motors.....	8vo,	5 00
DAWSON—"Engineering" and Electric Traction Pocket-book.....	16mo, mor.,	5 00
GEHARDT—Steam Power Plant Engineering.....	8vo,	*6 00
GOSS—Locomotive Performance.....	8vo,	5 00
HENENWAY—Indicator Practice and Steam-engine Economy.....	12mo,	2 00
HIRSHFELD and BARNARD—Heat Power Engineering.....	8vo,	*5 00
HUTTON—Heat and Heat-engines.....	8vo,	5 00
Mechanical Engineering of Power Plants.....	8vo,	5 00
KENT—Steam Boiler Economy.....	8vo,	4 00
KING—Steam Engineering.....	(<i>In Press.</i>)	
KNEASS—Practice and Theory of the Injector.....	8vo,	1 50
MACCORD—Slide-valves.....	8vo,	2 00
MEYER—Modern Locomotive Construction.....	4to,	10 00
MILLER, BERRY, and RILEY—Problems in Thermodynamics....	8vo, paper,	0 75
MOYER—Steam Turbines.....	8vo,	4 00
PEABODY—Manual of the Steam-engine Indicator.....	12mo,	1 50
Tables of the Properties of Steam and Other Vapors and Temperature- Entropy Table.....	8vo,	1 00
Thermodynamics of the Steam-engine and Other Heat-engines....	8vo,	5 00
Thermodynamics of the Steam Turbine.....	8vo,	*3 00
Valve-gears for Steam-engines.....	8vo,	2 50
and MILLER—Steam-boilers.....	8vo,	4 00
PERKINS—Introduction to General Thermodynamics.....	12mo,	*1 50
PUPIN—Thermodynamics of Reversible Cycles in Gases and Saturated Vapors. (OSTERBERG.).....	12mo,	1 25
REAGAN—Locomotives: Simple, Compound, and Electric. New Edition. Small	8vo,	3 50
SINCLAIR—Locomotive Engine Running and Management.....	12mo,	2 00
SMART—Handbook of Engineering Laboratory Practice.....	12mo,	2 50
SNOW—Steam-boiler Practice.....	8vo,	3 00
SPANGLER—Notes on Thermodynamics.....	12mo,	1 00
Valve-gears.....	8vo,	2 50
GREENE, and MARSHALL—Elements of Steam-engineering.....	8vo,	3 00
THOMAS—Steam-turbines.....	8vo,	4 00
THURSTON—Manual of Steam-boilers, their Designs, Construction, and Operation.....	8vo,	5 00
Manual of the Steam-engine.....	2 vols., 8vo,	10 00
Part I. History, Structure, and Theory.....	8vo,	6 00
Part II. Design, Construction, and Operation.....	8vo,	6 00
WEHRENFENNIG—Analysis and Softening of Boiler Feed-water. (PATTER- SON.).....	8vo,	4 00
WEISBACH—Heat, Steam, and Steam-engines. (DU BOIS.).....	8vo,	5 00
WHITHAM—Steam-engine Design.....	8vo,	5 00
WOOD—Thermodynamics, Heat Motors, and Refrigerating Machines...	8vo,	4 00

MECHANICS PURE AND APPLIED.

CHURCH—Mechanics of Engineering.	8vo,	\$6 00
Mechanics of Solids (Being Parts I, II, III of Mechanics of Engineering).	8vo,	4 50
Mechanics of Fluids (Being Part IV of Mechanics of Engineering).	8vo,	3 00
Mechanics of Internal Work.	8vo,	*1 50
Notes and Examples in Mechanics.	8vo,	2 00
DANA—Text-book of Elementary Mechanics for Colleges and Schools.	12mo,	1 50
DU BOIS—Elementary Principles of Mechanics:		
Vol. I. Kinematics.	8vo,	3 50
Vol. II. Statics.	8vo,	4 00
Mechanics of Engineering. Vol. I.	Small 4to,	7 50
Vol. II.	Small 4to,	10 00
FULLER and JOHNSTON—Applied Mechanics:		
Vol. I. Theory of Statics and Kinetics.	(In Press.)	
Vol. II. Strength of Materials.	(In Preparation.)	
GREENE—Structural Mechanics.	8vo,	*2 50
HARTMANN—Elementary Mechanics for Engineering Students.	12mo,	*1 25
JAMES—Kinematics of a Point and the Rational Mechanics of a Particle.	Small 8vo,	2 00
JOHNSON (W. W.) Theoretical Mechanics.	12mo,	*3 00
KING—Elements of the Mechanics of Materials and of Power of Transmission.	8vo,	*2 50
KOTTCAMP—Exercises for the Applied Mechanics Laboratory, Loose Leaf Laboratory Manual.	Oblong 4to, paper,	*1 00
LANZA—Applied Mechanics.	8vo,	7 50
MARTIN—Text Book of Mechanics:		
Vol. I. Statics.	12mo,	*1 25
Vol. II. Kinematics and Kinetics.	12mo,	*1 50
Vol. III. Mechanics of Materials.	12mo,	*1 50
Vol. IV. Applied Statics.	12mo,	*1 50
MAURER—Technical Mechanics.	8vo,	4 00
MERRIMAN—Elements of Mechanics.	12mo,	*1 00
Mechanics of Materials.	8vo,	5 00
MICHIE—Elements of Analytical Mechanics.	8vo,	*4 00
ROBINSON—Principles of Mechanism.	8vo,	3 00
SANBORN—Mechanics Problems.	Small 8vo,	*1 50
SCHWAMB and MERRILL—Elements of Mechanism.	8vo,	3 00
WOOD—Elements of Analytical Mechanics.	8vo,	3 00
Principles of Elementary Mechanics.	12mo,	1 25

MEDICAL.

ABDERHALDEN—Physiological Chemistry in Thirty Lectures. (HALL and DEFREN.)	8vo,	*5 00
VON BEHRING—Suppression of Tuberculosis. (BOLDUAN.)	12mo,	1 00
BOLDUAN—Immune Sera.	12mo,	*1 50
BORDET—Studies in Immunity. (GAY.)	8vo,	6 00
CHAPIN—The Sources and Modes of Infection.	Small 8vo,	*3 00
COHNHEIM—Enzymes.	12mo,	*1 50
DAVENPORT—Statistical Methods with Special Reference to Biological Variations.	16mo, mor.,	1 50
EFFRONT—Enzymes and Their Applications. (PRESCOTT.)	8vo,	3 00
EHRLICH—Studies on Immunity. (BOLDUAN.)	8vo,	6 00
EULER—General Chemistry of the Enzymes. (POPE.)	8vo,	*3 00
FISCHER—Nephritis.	Small 8vo,	*2 50
Oedema.	8vo,	*2 00
Physiology of Alimentation.	Small 8vo,	*2 00
DE FURSAC—Manual of Psychiatry. (ROSANOFF and COLLINS.)	Small 8vo,	*2 50
FULLER—Qualitative Analysis of Medicinal Preparations.	12mo,	*1 50
HAMMARSTEN—Text-book on Physiological Chemistry. (MANDEL.)	8vo,	*4 00
JACKSON—Directions for Laboratory Work in Physiological Chemistry.	8vo,	1 25
LASSAR-COHN—Praxis of Urinary Analysis. (LORENZ.)	12mo,	1 00
LAUFFER—Electrical Injuries.	16mo,	*0 50
MANDEL—Hand-book for the Bio-Chemical Laboratory.	12mo,	1 50

MARTIN—Measurement of Induction Shocks.	12mo,	*1 25
NELSON—Analysis of Drugs and Medicines.	12mo,	*3 00
PAULI—Physical Chemistry in the Service of Medicine. (FISCHER.) ..	12mo,	*1 25
POZZI-ESCOT—Toxins and Venoms and their Antibodies. (COHN.) ..	12mo,	*1 00
ROSTOSKI—Serum Diagnosis. (BOLDUAN.) ..	12mo,	1 00
RUDDIMAN—Incompatibilities in Prescriptions.	8vo,	2 00
Whys in Pharmacy.	12mo,	1 00
SALKOWSKI—Physiology and Pathological Chemistry. (ORNDORFF.) ..	8vo,	2 50
SATTERLEE—Outlines of Human Embryology	12mo,	*1 25
SMITH—Lecture Notes on Chemistry for Dental Students.	8vo,	*2 50
WHIPPLE—Typhoid Fever	Small 8vo,	*3 00
WOODHULL—Military Hygiene for Officers of the Line:	Small 8vo,	*1 50
Personal Hygiene.	12mo,	*1 00
WORCESTER and ATKINSON—Small Hospitals Establishment and Maintenance, and Suggestions for Hospital Architecture, with Plans for a Small Hospital.	12mo,	1 25

METALLURGY.

BETTS—Lead Refining by Electrolysis.	8vo,	4 00
BOLLAND—Encyclopedia of Founding and Dictionary of Foundry Terms used in the Practice of Moulding.	12mo,	3 00
Iron Founder.	12mo,	2 50
BORCHERS—Metallurgy. (HALL and HAYWARD.) ..	8vo,	*3 00
BURGESS and LE CHATELIER—Measurement of High Temperatures. Third Edition.	8vo,	*4 00
DOUGLAS—Untechnical Addresses on Technical Subjects.	12mo,	1 00
GOESEL—Minerals and Metals: A Reference Book.	16mo, mor.,	3 00
ILES—Lead-smelting.	12mo,	*2 50
JOHNSON—Rapid Methods for the Chemical Analysis of Special Steels, Steel-making Alloys and Graphite.	Large, 12mo,	3 00
KEEP—Cast Iron.	8vo,	2 50
METCALF—Steel. A Manual for Steel-users.	12mo,	2 00
MINET—Production of Aluminum and its Industrial Use. (WALDO.) ..	12mo,	2 50
PALMER—Foundry Practice.	Small 8vo,	*2 00
PRICE and MEADE—Technical Analysis of Brass.	12mo,	*2 00
RODENHAUSER and SCHOENAWA—Electric Furnaces in the Iron and Steel Industry. (VOM BAUR.) ..	(In Press.)	
RUER—Elements of Metallography. (MATHEWSON.) ..	8vo,	*3 00
SMITH—Materials of Machines.	12mo,	1 00
TATE and STONE—Foundry Practice.	12mo,	2 00
THURSTON—Materials of Engineering. In Three Parts.	8vo,	8 00
Part I. Non-metallic Materials of Engineering, see Civil Engineering, page 9.		
Part II. Iron and Steel.	8vo,	3 50
Part III. A Treatise on Brasses, Bronzes, and Other Alloys and Their Constituents.	8vo,	2 50
UIKE—Modern Electrolytic Copper Refining.	8vo,	3 00
WEST—American Foundry Practice.	12mo,	2 50
Moulders' Text Book.	12mo,	2 50

MILITARY AND MARINE ENGINEERING.

ARMY AND NAVY.

BERNADOV—Smokeless Powder, Nitro-cellulose, and the Theory of the Cellulose Molecule.	12mo,	2 50
CHASE—Art of Pattern Making.	12mo,	2 50
Screw Propellers and Marine Propulsion.	8vo,	3 00
CLOKE—Enlisted Specialists' Examiner.	8vo,	*2 00
Gunner's Examiner.	8vo,	*1 50
CRAIG—Azimuth.	4to,	3 50
CREHORE and SQUIER—Polarizing Photo-chronograph.	8vo,	3 00
DAVIS—Elements of Law.	8vo,	*2 50
Treatise on the Military Law of United States.	8vo,	*7 00

DUDLEY—Military Law and the Procedure of Courts-martial.....	Small 8vo,	*2 50
DURAND—Resistance and Propulsion of Ships.....	8vo,	5 00
DYER—Handbook of Light Artillery.....	12mo,	*3 00
EISLER—Modern High Explosives.....	8vo,	4 00
PIEBEGER—Text-book on Field Fortification.....	Small 8vo,	*2 00
HAMILTON and BOND—The Gunner's Catechism.....	18mo,	1 00
HOFF—Elementary Naval Tactics.....	8vo,	*1 50
INGALLS—Handbook of Problems in Direct Fire.....	8vo,	4 00
Interior Ballistics.....	8vo,	*3 00
LISSAK—Ordnance and Gunnery.....	8vo,	*6 00
LUDLOW—Logarithmic and Trigonometric Tables.....	8vo,	*1 00
LYONS—Treatise on Electromagnetic Phenomena. Vols. I. and II.,	8vo, each,	*6 00
MAHAN—Permanent Fortifications. (MERCUR).....	8vo, half mor.,	*7 50
MANUAL FOR COURTS-MARTIAL.....	16mo, mor.,	1 50
MERCUR—Attack of Fortified Places.....	12mo,	*2 00
Elements of the Art of War.....	8vo,	*4 00
NIXON—Adjutants' Manual.....	24mo,	1 00
PEABODY—Naval Architecture.....	8vo,	7 50
Propellers.....	8vo,	1 25
PHELPS—Practical Marine Surveying.....	8vo,	*2 50
PUTNAM—Nautical Charts.....	8vo,	2 00
RUST—Ex-meridian Altitude, Azimuth and Star-Finding Tables.....	8vo,	5 00
SELKIRK—Catechism of Manual of Guard Duty.....	24mo,	*0 50
SHARPE—Art of Subsisting Armies in War.....	18mo, mor.,	1 50
TAYLOR—Speed and Power of Ships. 2 vols. Text 8vo, plates oblong 4to,		*7 50
TUPES and POOLE—Manual of Bayonet Exercise and Musketry Fencing,	24mo, leather,	*0 50
WEAVER—Military Explosives.....	8vo,	*3 00
WOODHULL—Military Hygiene for Officers of the Line.....	Small 8vo,	*1 50

MINERALOGY.

BROWNING—Introduction to Rarer Elements.....	8vo,	*1 50
BRUSH—Manual of Determinative Mineralogy. (PENFIELD).....	8vo,	4 00
BUTLER—Pocket Hand-book of Blowpipe Analysis.....	16mo,	*0 75
Pocket Hand-book of Minerals.....	16mo, mor.,	3 00
CHESTER—Catalogue of Minerals.....	8vo, paper,	1 00
	Cloth,	1 25
CRANE—Gold and Silver.....	8vo,	*5 00
DANA—First Appendix to Dana's New "System of Mineralogy,"	Large 8vo,	1 00
Second Appendix to Dana's New "System of Mineralogy,"	Large 8vo,	1 50
Manual of Mineralogy. (FORD).....	12mo,	*2 00
Minerals, and How to Study Them.....	12mo,	1 50
System of Mineralogy.....	Large 8vo, half leather,	12 50
Text-book of Mineralogy.....	8vo,	4 00
DOUGLAS—Untechnical Addresses on Technical Subjects.....	12mo,	1 00
EAKLE—Mineral Tables.....	8vo,	1 25
ECKEL—Building Stones and Clays.....	8vo,	*3 00
GOESEL—Minerals and Metals: A Reference Book.....	16mo, mor.,	3 00
GROTH—The Optical Properties of Crystals. (JACKSON).....	8vo,	*3 50
Introduction to Chemical Crystallography. (MARSHALL).....	12mo,	1 25
HAYES—Handbook for Field Geologists.....	10mo, mor.,	*1 50
IDDINGS—Igneous Rocks.....	8vo,	5 00
Rock Minerals.....	8vo,	5 00
JOHANSEN—Determination of Rock-forming Minerals in Thin Sections,	8vo,	
	With Thumb Index,	5 00
LEWIS—Determinative Mineralogy.....	Small 8vo,	*1 50
MARTIN—Laboratory Guide to Qualitative Analysis with the Blowpipe.....	12mo,	*0 60
MERRILL—Non-metallic Minerals: Their Occurrence and Uses.....	8vo,	4 00
Stones for Building and Decoration.....	8vo,	5 00
PENFIELD—Notes on Determinative Mineralogy and Record of Mineral		
Tests.....	8vo, paper,	*0 50
Tables of Minerals, Including the Use of Minerals and Statistics of		
Domestic Production.....	8vo,	1 00
PIRSSON—Rocks and Rock Minerals.....	12mo,	*2 50
RICHARDS—Synopsis of Mineral Characters.....	12mo, mor.,	*1 25

RIES—Building Stones and Clay Products.....	8vo, *	\$3 00
Clays: Their Occurrence, Properties and Uses.....	8vo,	*5 00
and LEIGHTON—History of the Clay-working Industry of the United States.....	8vo,	*2 50
ROWE—Practical Mineralogy Simplified.....	12mo,	*1 25
TILLMAN—Text-book of Important Minerals and Rocks.....	8vo,	*2 00
WASHINGTON—Manual of the Chemical Analysis of Rocks.....	8vo,	2 00

MINING.

BEARD—Mine Gases and Explosions.....	Small 8vo,	*3 00
BRUNSWIG—Explosives. (MUNROE and KIBLER.).....	Ready Fall, 1912	
CRANE—Gold and Silver.....	8vo,	*5 00
Index of Mining Engineering Literature, Vol. I.....	8vo,	*4 00
	8vo, mor.,	*5 00
Vol. II.....	8vo,	*3 00
	8vo, mor.,	*4 00
Ore Mining Methods.....	8vo,	*3 00
DANA and SAUNDERS—Rock Drilling.....	8vo,	*4 00
DOUGLAS—Untechnical Addresses on Technical Subjects.....	12mo,	1 00
EISSLER—Modern High Explosives.....	8vo,	4 00
GILBERT, WIGHTMAN and SAUNDERS—Subways and Tunnels of New York.		
	8vo,	*4 00
GOESEL—Minerals and Metals: A Reference Book.....	16mo, mor.,	3 00
IHLSENG—Manual of Mining.....	8vo,	5 00
ILES—Lead Smelting.....	12mo,	*2 50
PEELE—Compressed Air Plant.....	8vo,	*3 50
RIEMER—Shaft Sinking under Difficult Conditions. (CORNING and PEELE.)		
	8vo,	3 00
WEAVER—Military Explosives.....	8vo,	*3 00
WILSON—Hydraulic and Placer Mining.....	12mo,	2 50
Treatise on Practical and Theoretical Mine Ventilation.....	12mo,	1 25

SANITARY SCIENCE.

ASSOCIATION OF STATE AND NATIONAL FOOD AND DAIRY DEPARTMENTS,		
Hartford Meeting, 1906.....	8vo,	3 00
Jamestown Meeting, 1907.....	8vo,	3 00
BASHORE—Outlines of Practical Sanitation.....	12mo,	*1 25
Sanitation of a Country House.....	12mo,	1 00
Sanitation of Recreation Camps and Parks.....	12mo,	1 00
FOLWELL—Sewerage. (Designing, Construction, and Maintenance.)...	8vo,	3 00
Water-supply Engineering.....	8vo,	4 00
FOWLER—Sewage Works Analyses.....	12mo,	2 00
FUERTEZ—Water-filtration Works.....	12mo,	2 50
GERHARD—Guide to Sanitary Inspections.....	12mo,	1 50
Modern Baths and Bath Houses.....	8vo,	*3 00
Sanitation of Public Buildings.....	12mo,	1 50
The Water Supply, Sewerage, and Plumbing of Modern City Buildings.		
	8vo,	*4 00
HAZEN—Clean Water and How to Get It.....	Small 8vo,	1 50
Filtration of Public Water-supplies.....	8vo,	3 00
KINNICUTT, WINSLOW and PRATT—Sewage Disposal.....	8vo,	*3 00
LEACH—Inspection and Analysis of Food with Special Reference to State Control.....	8vo,	7 50
MASON—Examination of Water. (Chemical and Bacteriological.).....	12mo,	1 25
Water-supply. (Considered principally from a Sanitary Standpoint.)		
	8vo,	4 00
MERRIMAN—Elements of Sanitary Engineering.....	8vo,	*2 00
OGDEN—Sewer Construction.....	8vo,	3 00
Sewer Design.....	12mo,	2 00
OGDEN and CLEVELAND—Practical Methods of Sewage Disposal for Residences, Hotels and Institutions.....	8vo,	*1 50
PARSONS—Disposal of Municipal Refuse.....	8vo,	2 00

PRESCOTT and WINSLOW—Elements of Water Bacteriology, with Special Reference to Sanitary Water Analysis.....	12mo.	\$1 50
PRICE—Handbook on Sanitation.....	12mo.	*1 50
RICHARDS—Conservation by Sanitation.....	8vo.	2 50
Cost of Cleaness.....	12mo.	1 00
Cost of Food. A Study in Dietaries.....	12mo.	1 00
Cost of Living as Modified by Sanitary Science.....	12mo.	1 00
Cost of Shelter.....	12mo.	1 00
Laboratory Notes on Industrial Water Analysis.....	8vo.	*0 50
RICHARDS and WOODMAN—Air, Water, and Food from a Sanitary Stand-point.....	8vo.	2 00
RICHEY—Plumbers', Steam-fitters', and Tinnners' Edition (Building Mechanics' Ready Reference Series).....	16mo, mor.	*1 50
RIDEAL—Disinfection and the Preservation of Food.....	8vo.	4 00
SOPER—Air and Ventilation of Subways.....	12mo.	2 50
TURNHAURE and RUSSELL—Public Water-supplies.....	8vo.	5 00
VENABLE—Garbage Crematories in America.....	8vo.	2 00
Method and Devices for Bacterial Treatment of Sewage.....	8vo.	3 00
WARD and WHIPPLE—Freshwater Biology.....	(In Press.)	
WHIPPLE—Microscopy of Drinking-water.....	8vo.	3 50
Typhoid Fever.....	Small 8vo.	*3 00
Value of Pure Water.....	Small 8vo.	1 00

MISCELLANEOUS.

BURT—Railway Station Service.....	12mo.	*2 00
CHAPIN—How to Enamel.....	12mo.	*1 00
EMMONS—Geological Guide-book of the Rocky Mountain Excursion of the International Congress of Geologists.....	Large 8vo.	1 50
FERREL—Popular Treatise on the Winds.....	8vo.	4 00
FITZGERALD—Boston Machinist.....	18mo.	1 00
FRITZ—Autobiography of John.....	8vo.	*2 00
GANNETT—Statistical Abstract of the World.....	24mo.	0 75
GREEN—Elementary Hebrew Grammar.....	12mo.	1 25
HAINES—American Railway Management.....	12mo.	2 50
HANAUSEK—The Microscopy of Technical Products. (WINTON.).....	8vo.	5 00
JACOBS—Betterment Briefs. A Collection of Published Papers on Organized Industrial Efficiency.....	8vo.	3 50
METCALFE—Cost of Manufactures, and the Administration of Workshops.....	8vo.	5 00
PARKHURST—Applied Methods of Scientific Management.....	8vo.	*2 00
PUTNAM—Nautical Charts.....	8vo.	2 00
RICKETTS—History of Rensselaer Polytechnic Institute, 1824-1894.....	Small 8vo.	3 00
ROTC and PALMER—Charts of the Atmosphere for Aeronauts and Aviators.....	Oblong 4to.	*2 00
ROTHERHAM—Emphasised New Testament.....	Large 8vo.	2 00
RUST—Ex-Meridian Altitude, Azimuth and Star-finding Tables.....	8vo.	5 00
STANDAGE—Decoration of Wood, Glass, Metal, etc.....	12mo.	2 00
WESTERMAIER—Compendium of General Botany. (SCHNEIDER.).....	8vo.	2 00
WINSLOW—Elements of Applied Microscopy.....	12mo.	1 50

TC.

129421

A.

Author Richards, Ellen H.

Title Laboratory notes on industrial water analysis.

UNIVERSITY OF TORONTO
LIBRARY

Do not
remove
the card
from this
Pocket.

Acme Library Card Pocket
Under Pat. "Ref. Index File."
Made by LIBRARY BUREAU

